



**MODEL:** SP-1605

**PRODUCT:** Dynamic Speaker

**EDITION:** A/2016

**Soberton Inc.**

## THIS SPECIFICATION COVERS OUR PRODUCT OF DYNAMIC SPEAKER UNIT FOR MOBILE PHONE USE

### DYNAMIC SPEAKER ELECTORACOUSTIC CHARACTERISTICS


sound pressure level	88±3dB SPL @0.8, 1.0, 1.5 and 2.0KHz in average (0dB SPL=20μPa)
measuring condition	0.1W(Sine wave) 10cm measured with baffle shown in Fig.1.
frequency response curve	As shown in Fig.2
response frequency	1000±20%Hz @ 1V. (Without Baffler)
rated noise power	0.5W
short-term max. power	0.8W must be normal at a white noise (1W, F0-20KHz) for 1 minute
distortion	Less than 10% @1KHz, 0.1M, 0.5W frequency range, input level up to 2.0Vrms
operation test	Must be free audible noise (buzzes and rattles) 300 ~ 8KHz frequency range, input level up to 2.0Vrms

### GENERAL SPECIFICATIONS

operating temperature range	-20°C ~ +60°C
standard test conditions	
temperature	17°C ~ 25°C
relative humidity	45% ~ 80%(RH)
ac impedance	8±15%Ω (@ 1KHz 1V) without baffle
dc resistance	30±15%Ω
dimensions	Ø16.0*4.7

### MEASURING METHOD (SPEAKER MODE) (Figure 1)

Standard test condition of speaker



### TEST CONDITION

STANDARD	
temperature	15 ~ 35°C
relative humidity	45% ~ 85%
atmospheric pressure	860mbar to 1060mbar.
STANDARD TEST FIXTURE	
input power	0.1W (0.89V)
zero level	-dB
mode	TSR
potentiometer range	50dB
sweep time	0.5sec



**MODEL:** SP-1605

**PRODUCT:** Dynamic Speaker


**EDITION:** A/2016

Soberton Inc.

---

**TYPICAL FREQUENCY RESPONSE CURVE** (Figure 2)

---





**MODEL:** SP-1605

**PRODUCT:** Dynamic Speaker

**EDITION:** A/2016

**Soberton Inc.**

## RELIABILITY TESTS

The sound pressure as specified shall neither deviate more than  $\pm 3\text{dB}$  from the initial value, nor have any significant damage after any of following testing.

### HIGH TEMPERATURE TEST

high temperature	+60 $\pm 2^\circ\text{C}$
duration	96 hours

### LOW TEMPERATURE TEST

low temperature	-20 $\pm 2^\circ\text{C}$
duration	96 hours

### HEAT SHOCK TEST

high temperature	+60 $\pm 2^\circ\text{C}$
low temperature	-20 $\pm 2^\circ\text{C}$
duration	1 hour
changeover time	< 30 seconds
cycle	100

### HUMIDITY TEST

temperature	+40 $\pm 2^\circ\text{C}$
relative humidity	90~95%
duration	96 hours

### TEMPERATURE CYCLE TEST

temperature	-20 $^\circ\text{C}$	+60 $^\circ\text{C}$
duration	45 minutes	45 minutes
temperature gradient	1~3 $^\circ\text{C}/\text{min.}$	
cycle	25	

### DROP TEST

mounted with dummy set mass	100 g
height	1.5 m
cycle	6 (1 each plain) onto the concrete board

### LOAD TEST

noise signal	White noise (EIA filter)
input power	0.5W
duration	96 hours





**MODEL:** SP-1605  
**PRODUCT:** Dynamic Speaker  
**EDITION:** A/2016

Soberton Inc.

## DIMENSIONS

Tolerance:  $\pm 0.5$  (unit: mm)



no	item	material	quantity
1	UL1571 AWG32#	Wire Red/Black	2
2	PCB	FR-4	1
3	Frame	PBT	1
4	Magnet	ND Fe B-N38	1
5	Plate	SPCC	1
6	Voice Coil	Copper	1
7	Membrane	PEN	1
8	Cap	SUS 304	1
9	Gasket	Polyester fiber (black cloth)	1
10	Screen	Black cloth	1




**MODEL:** SP-1605  
**PRODUCT:** Dynamic Speaker  
**EDITION:** A/2016


Soberton Inc.

## PACKING

$$100\text{PCS} \times 10 = 1000\text{PCS}$$



$$100\text{PCS} \times 10 = 1000\text{PCS}$$



$$100\text{PCS}$$

$$1000\text{PCS} \times 5 = 5000\text{PCS}$$

