NOTES:

I. MATERIALS AND FINISHES:

BODY - BRASS - GOLD PLATED (.000010" MIN.)
CONTACT - BERYLLIUM COPPER - GOLD PLATED (.000030" MIN.)

INSULATOR - PTFE

2. PHYSICAL:

A. OPERATING TEMPERATURE = -65°C to +165°C

B. DURABILITY = 100 MATING CYCLES MINIMUM C. INTERFACE = PROPRIETARY AFI INTERFACE


D. RADIAL FLOAT $= \pm .015$

3. ELECTRICAL:

A. IMPEDANCE = 50 OHMS, NOMINAL B. FREQUENCY RANGE = DC TO 6.0 GHz C. RETURN LOSS = 25 dB MINIMUM


4. APPLICATION: SEE 349-50722 FOR ADDITIONAL INFORMATION REGARDING

RECOMMENDED APPLICATION CONFIGURATION DETAILS.




RECOMMENDED PCB LAYOUT SCALE 5.000

REVISIONS 920-160J-51P DRAWING NO REV DESCRIPTION DATE ECO APPR THIRD ANGLE PROJ. \oplus Α RELEASE TO MFG 8/26/04 45111 BCG B CHGD NOTE 3B TO REFLECT FREQ. RANGE TO : DC-6 GHz 12/5/05 45833 ΗP



SCALE 3.000



TITLE

CUSTOMER OUTLINE DRAWING ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES $\pm .015 (0,381 \text{ mm})$ $\pm .005$ (0,127 mm)

NOTICE - These drawings, specifications, or other data (I) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL REFERENCE 615X-1875-200 EAR# 837 GEN# ASSYFI7_AFI

SECTION A-A

— . 238 –

- . | 40± . 0 | 0 - - -

DRAWN DATE B.C. GLEISSNER II-Aug-04 ENGINEER DATE B.C. GLEISSNER 17-Jan-03 APPROVED DATF O. BARTHELMES 8/26/04 CAD FILE

I:\AFI\920-160J-51P

Ø.083

_____.023

AFI-50 JACK, SURFACE MOUNT, SMOOTH BORE

Amphenol RF Danbury, CT, USA Tainan, Taiwan Shenzhen, China www.amphenolrf.com

SCALE: 10.0:1 SHEET 2 OF 2 REV

CODE ID DWG SIZE DRAWING NO 920-160J-51P В 74868

.062 SQ. TYP.

TYP.