



2015 Digital Catalog Table of Contents

New At Aven

| Product Category | Page(s) |
|--------------------------------|---------|
| New At Aven | 3-10 |
| Digital Microscopes | 11-12 |
| Stereo Zoom Microscopes | 13-18 |
| Video Inspection Systems | 19 - 22 |
| Microscope & Video Accessories | 23-31 |
| Magnifiers | 32 - 34 |
| Magnifying Lamps & Accessories | 35-37 |
| Work Lights | 38 |
| Hand Tools | 39 - 45 |
| Precision Cutters & Pliers | 46 - 50 |
| Tweezers | 51 - 58 |
| Soldering & Desoldering | 59 - 61 |



SharpVue HD Video Inspection System Futuristic, Innovative and Easy to Use

The SharpVue features an auto focus HD camera with optical magnification of up to 20x or 30x, and digital magnification up to 300x depending on the lens used. The SharpVue produces high quality 1080p HD images without any distortion or delay and with excellent depth of field. The built in LED lights ensures shadow-free illumination even when viewing shiny objects. The SharpVue features a large working distance of 9 inches, ensuring that objects of any size can be inspected. This system is operated with the included wireless remote. Zoom in and out, turn auto focus on or off, insert a cross hair, fine tune your focus, and much more all with a touch of a button.

Includes HDMI and USB outputs. Connect the SharpVue to your computer via USB cable to utilize the included imaging and measurement software.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

3



| ltem# | Description |
|------------------|---|
| 26700-135 | SharpVue Video Inspection System |
| | |
| Magnification | 20x and 30x |
| Resolution | 1080p (monitor) / 720p (Computer) |
| Zoom | 20x Optical, 12x Digital |
| Output | USB / HDMI |
| Lighting | Built-in angled LED |
| Focus | Auto/Manual |
| Image/Video | With imaging software |
| Dimensions | 16.14" x 6.7" x 13.78" |
| Weight | 9.9 lbs |
| Package Contents | Aven Sharpvue system, Imaging Software, wireless remote control |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



SharpVue Video Inspection System

Modern Design, Ease Of Use

Aven's SharpVue system is designed to inspect, capture images and video, and much more with ease. Adjust your settings with the included easy-to-use remote control.





The SharpVue offers crystal-clear 1080p imaging, with a magnification

of up to 30x optical zoom, 300x Digital zoom. View your images on an HD monitor, eliminating the eye strain and fatigue from frequent microscope use.



Built-In Features

USB and HDMI outputs. Connect to your monitor for lag-

free 1080p inspection with the

to connect to your PC.

HDMI port. Or use the USB port



Built-in LED lights for shadow-free illumination





Item # 26700-135-XYTB





Item # 26700-401-CB



SharpVue Tiltable Table

LCD 1080p Monitor Item # 26700-406

Cyclops HDMI Digital Microscope



This innovative inspection scope connects directly to an HD mo through a convenient 1080p HDMI output allowing operators view high quality magnified images while looking straight ahe at a large screen, rather than hunching over narrow eyepieces large working distance and 30 LEDs that can be adjusted for i sity allow examination of objects of various sizes. Magnificatio ranges up to 132x on a 21.5" HD monitor.

This breakthrough instrument increases accuracy and productivity while easing eye strain and user fatigue from frequent microscope use, valuable benefits in high-volume applications.

Features

- 2-megapixel sensor
- HDMI output connects directly to an HD monitor future firmware updates
- 30 energy-efficient LED illumination with intensity control
- Up to 132x Magnification
- Infrared remote control for all major features •

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

5

Λ



| nitor | |
|-------|--|
| to | |
| ad | |
| . A | |
| nten- | |
| on | |
| | |

| Cyclops HDMI Digital Microscope | | |
|---------------------------------|--|--|
| Effective Pixels | 2M Pixels | |
| Image Sensor | CMOS Color | |
| Frames Per Second | 30FPS | |
| Magnification / Zoom | Up to 132x | |
| LED Lighting | 30 White LEDs with brightness & sector control | |
| Video Output | 1920x1080p HD | |
| Gain Control | Automatic | |
| Power Source | DC 5A/2A input; Cable length: 180cm | |
| Power Consump- tion | 0.225A (MAX) | |
| Dimensions | 106 x 152 mm | |
| Weight | 0.70 lbs. 310g | |

| Part # | Description | Price |
|-----------|---------------------------------|----------|
| 26700-401 | Cyclops HDMI Digital Microscope | \$750.00 |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Objective Lenses

Aven offers optional objective lenses to make your Cyclops system even more versatile

Cyclops 4x Long Focus Lens Item # 26700-400-I-4XIF Provides operators with a working distance of approximately 95mm - 218mm. (3.75 - 8.5 inches)

Cyclops Objective Lens 10X Item # 26700-400-110X

Use of this lens will increase magnification, allowing even further clarity for examining small objects. Includes lighting attachment.

Cyclops Objective Lens 4X with Polarizer Item # 26700-400-PI01

Aiding in the illumination and study of small and shiny parts, this polarized lens reduces problematic glare.

Add-Ons

Cyclops Articulating Arm Stands

Available with 17 inch and 12 inch posts, the Cyclops Articulating Arm Stands clamp to the side of your work bench and provide diverse positioning options.



Cyclops Articulating Arm Stand, Post Height 17-in Item # 26700-410-C18

17" post and an adjustable swivel arm provide versatile positioning options.

Cyclops Articulating Arm Stand, Post Height 12-in # 26700-410-C15

12" post and an adjustable swivel arm provide versatile positioning options.

Monitor Mounts

Aven's Monitor Mounts clamp to the side of your work bench and provide diverse positioning options. Available with 17 inch and 12 inch posts.

Complete your Cyclops system with with these premium add-ons 22" LCD Monitor

Item # 26700-406

Outstanding performance, eco-friendliness and smart use of energy complement the sleek design. LED Back-lit with 50,000,000:1 Smart Contrast Ratio, Full 1080P with HDMI.

Cyclops Laser Pointer Item # 26700-400-GN02

Provides a constant laser point to highlight exact areas for display or inspection. Attaches to the Cyclops stand. Includes light intensity control.



ProVue Deluxe LED Magnifying Lamp **Efficient and Powerful**



Control

The innovative ProVue Deluxe LED Magnifying lamp from Aven is the new standard in inspection lighting. This durable aluminum design features a 5 inch, 5 diopter glass lens for crystal clear, distortion-free viewing. Featuring 72 energy-efficient LED lights for shadow-free illumination.

The 36" adjustable friction arm provides a large working range. Simply set your lamp position and lock it in. No springs, no exposed wires and no pinching hazards. The lamp head rotates in any direction to suit your inspection needs, and the convenient built-in dimmer allows you to control the lamp brightness.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

7

6





2.25x Magnificatio

Fully Rotatable



72 Energy-Efficient LED Lights

> Heavy-Duty Mounting Clamp

| PROVUE DELUXE LED | | |
|-------------------|--|--|
| ON | 2.25X (5-Diopter) | |
| ER | 5in | |
| LENGTH | 36in | |
| | Brushed Silver | |
| | 72 LED Lights | |
| | $ \rightarrow \rightarrow$ | |
| Descr | iption | Lens |
| ProVu | e Deluxe LED Magnifying Lamp | 5 Diopter |
| | | ON 2.25X (5-Diopter) TER 5in LENGTH 3óin Brushed Silver |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



New At Aven

7 Inch/ 5 Diopter Lens 2.25x Magnification

National a

ND LED Ligh

Dual- Row, 72 Energy-Efficient LED Lights

Heavy-Duty

Mounting Clamp

New At Aven

ESD Safe Soldering Stations



| Part # | Description | Price |
|--------|---|----------|
| 17400 | Soldering Station with LCD Display ESD Safe 400 Series | \$134.95 |
| Part # | Description | Price |
| 17405 | Soldering Station with LCD Display ESD Safe | \$54.95 |

Soldering Iron 80W with Fine Tip

This professional grade soldering iron produces 80 watts (up to 500°) and is ideal for general purpose soldering applications including met board, tube or large components, electrical/electronic components, auc equipment, RC hobbies and more.

3.12)

Mighty Vue Deluxe LED Magnifying **Efficient and Powerful**



The innovative Mighty Vue Deluxe LED Magnifying lamp from Aven is the new standard in inspection lighting. This durable aluminum design features a large 7 inch, 5 diopter glass lens for crystal clear, distortion-free viewing. This deluxe lamp also includes dual-row 72 energy-efficient LED lights for shadow-free illumination.

The 36" adjustable friction arm provides a large working range. Simply set your lamp position and lock it in. No springs, no exposed wires and no pinching hazards. The lamp head rotates in any direction to suit your inspection needs, and the convenient touch-sensitive dimmer control offers 5 brightness settings

| MIGHTY VUE DELUXE LED | |
|-----------------------|-------------------|
| MAGNIFICATION | 2.25X (5-Diopter) |
| LENS DIAMETER | 7in |
| ADJUSTABLE ARM LENGTH | 36in |
| COLOR | Brushed Silver |
| LIGHTING | 72 LED Lights |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

9





Compact & Convenient Soldering

| | ADDITIONAL TIPS |
|-----------|-----------------|
| 17400-N91 | 8)81 |
| 17400-N92 | 4 8 |
| 17400-N93 | 88 |
| 17400-N94 | 2 22 |
| 17400-N95 | |
| | |

| | SOLDERING IRON 80W WITH FINE TIP | | | IP |
|-----|----------------------------------|----------|---|---------|
| | POWER | | 80W | |
| | TEMPERAT | JRE | Up to 500°C (932°F) | |
| | DIMENSIO | NS | S 285mm x 35mm x 35mm (11.25" x 1.375" x 1.375") | |
| C) | TIP Fine | | | |
| -1 | POWER SO | JRCE | Corded Electrical | |
| tal | WEIGHT | r | 0.2kg (0.45 lbs) | |
| | PACKAGE CON | NTENTS | Soldering Iron 80W with Fine Tip | |
| dio | Part # | Descrip | tion | Price |
| | 17510 | Solderin | g Iron 80W with Fine Tip | \$16.50 |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

AVEN Mighty Cam 3.0 USB Camera

Expererience USB 3.0 Speed

Aven's Mighty Cam 3.0 is the new generation USB3.0 camera. Capable of frame rates more than double of USB 2.0 devices, the Mighty Cam 3.0 is ideal for applications that require reduced image lag times. Simply attach the Mighty Cam 3.0 to your microscope, plug in the USB 3.0 cable and connect to your computer. Includes ezMeasure software to capture stunning images, record video, make accurate measurements and more.

| Part # | Description | Sensor |
|-----------|----------------|--------|
| 26100-244 | Mighty Cam 3.0 | смоѕ |

New At Aven



- USB 3.0 interface provides high speed image transfer rates.
- ► Automatic/Maunual White Balance
- Progressive Scan
- USB cable plugs into any computer to save, process and share images
- ▶ Windows 7 & 8-compatible ezMeasure Software
- Ideal for applications that require reduced lag times

Mighty Cam CCD USB Camera

See the CCD Difference

The Mighty Cam CCD is designed for challenging lighting and color conditions. The CCD sensor provides precise color reproduction and highly detailed images for your demanding applications. The Mighty Cam CCD is capable of high resolution images with low noise and can precisely capture moving objects.

| Part # | Description | Sensor |
|-----------|----------------|--------|
| 26100-245 | Mighty Cam CCD | CCD |



- ► 1/2" 1.4MP Color CCD Sensor provides crisp
- images with accurate color
 Automatic/Maunual White Balance
- Progressive Scan
- USB cable plugs into any computer to save, process and share images
- Windows 7 & 8-compatible ezMeasure Software
- Ideal for challenging lighting and color conditions

Digital Microscopes

Inspect, analyze & measure with ease on your PC

Mighty Scope USB Digital Microscopes

- New Models available with 1.3 and 5MP CMOS sensor
- Active Pixel Technology produces sharp and accurate color images
- Microtouch shutter allows for quick and convenient image capture
- Compatible with Windows and Mac
 10-200x, 500x, UV and Near Infrared models
- Ergonomic design allows comfortable use in either hand
- Includes measurement software and adjustable metal stand
- 10-200x available with polarizer



"Inspect, analyze, measure easily on your laptop"

26700-202

| Product ID | Description | |
|---|--|--|
| 26700-200 | Mighty Scope 1.3M USB Digital Microscope (10x-200x) | |
| 26700-200-PLR | Mighty Scope 1.3M USB Digital Microscope w/Polarizer (10x-200x) | |
| 26700-204 | Mighty Scope 1.3M USB Digital Microscope (500x) | |
| 26700-205 | Mighty Scope 1.3M USB Digital Microscope w/ UV Illumination (10x-200x) | |
| 26700-207 Mighty Scope 5M USB Digital Microscope w/NIR Illumination (10x-200x | | |
| 26700-209 | Mighty Scope 5M USB Digital Microscope (10x-200x) | |
| 26700-209-PLR | Mighty Scope 5M USB Digital Microscope with Polarizer (10x-200x) | |
| 26700-216 | Mighty Scope 1.3M Polarizer | |
| 26700-217 | 00-217 Mighty Scope 5M Polarizer | |

Mighty Scope Analog Microscope

- Easy to use 6-LED compact & handy analog microscope with RCA outputs
- Ideal for applications where it is not feasible to have a PC, such as assembly lines and workbenches with space limitations
- High resolution magnification at your fingertips
- Detailed examination of any area you choose
- Active Pixel Technology produces sharp images and accurate color reproduction
- LED's can be turned on or off with brightness control wheel on the body
- Magnification range from 10x to 50x

| Product ID | Description |
|------------|---|
| 26700-202 | Mighty Scope 0.3M Analog Microscope (10x-50x) |

11



Mighty Scope Connect Wi-Fi Digital Microscope

- 6-inch-long microscope can be hand-held or standmounted
- 10x to 80x magnification, controlled by changes in working distance
- Creates wi-fi hotspot with 30foot range
- Works with Androids, Apple iOS tablets and phones
- Snap button on body saves high-quality images



"Compact scope links wirelessly to tablets, phones"

* iPad not included

| Product ID | Description | |
|-----------------------------|---|-----------|
| 26700-201 | Mighty Scope Connect Wi-Fi Digital Microscope (10x-80x) | |
| iLoupe XL2 Digital Micro | scope | 26700-520 |

- Large 2.8" LCD color screen
- Built-in 2 gigabyte flash memory
- 4 white LED lights with brightness control
- Magnification: 10x, 40x (optical) 15x to 200x (digital)
 USB port and cable for
- computer link and charging
- Adjustable-height stand
- Lithium-ion battery
- Advanced application software

"Discover the Micro World"

Product ID 26700-520

Description

iLoupe XL2 Digital Microscope

zipScope USB Digital Microscopes

- New models available with 2 and 9 MP CMOS sensor
- Anti-slip coating engineered for comfort and cushioning
- 2-stage intensity control of 8 LEDs for shadow-free lighting
- USB cable plugs into any computer to save, process and share images
- Snapshot button conveniently captures crisp, clear, truecolor images
- Windows-compatible measurement and imaging software
- Broad magnification range (10x 200x)
- Ideal for general inspection and use in labs, medical offices, classrooms and by hobbyists

26700-302

| Product ID | Description |
|------------|------------------------------------|
| 26700-300 | zipScope 2M USB Digital Microscope |
| 26700-302 | zipScope 9M USB Digital Microscope |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Digital Microscopes

Inspect, analyze & measure with ease on your PC

Stereo Zoom Microscopes

High-grade optics and unibody design

Cyclops Digital Microscope

This innovative inspection scope connects directly to an HD monitor as well as to a computer. Operators observe magnified videos or single frames while looking directly at the monitor, rather than straining over narrow eyepieces. A large working distance and 30 LEDs allow examination of sizable objects. Magnification ranges up to 270x on a 21.5" extended monitor or 534x for PC viewing.

- Dual output HDMI and USB
- Auto Focus enabled
- Designed to maximize efficiency and operator comfort
- ► 5-megapixel sensor
- High magnification range and extended working distance
- ▶ Up to 273x magnification in HDMI mode and 534x in PC mode
- ▶ LED illumination with intensity control
- Infrared remote control for all major features
- Includes standard 4x objective lens and measurement software
- Optional articulating arm stands and 10x lens available

| Product ID | Description | |
|----------------|------------------------------|--|
| 26700-400 | Cyclops Digital Microscope | |
| 26700-400-L10X | Cyclops Objective Lens 10X | |
| 26700-400-L4X | Cyclops Objective Lens 4X | |
| 26700-400-RC | Cyclops Remote Control | |
| 26700-400-STN | Cyclops Stand | |
| 26700-400-GN | Cyclops Gooseneck LED Lights | |



"Dual-mode scope features HDMI and USB outputs"



SPZ-50 Series Stereo Zoom Microscopes

- Magnification Range: 6.7x to 50x (3.35x to 200x with optional lenses)
- Large 7.46:1 Zoom Ratio (best Zoom Ratio in this class)
- ▶ Field of View: 34.3mm to 3.6mm (1.35" to 0.14")
- ▶ Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for
- comfortable viewing even for operators with eyeglasses Optional eyepieces available include DHW15x (F.N.15) & DHW20x (F.N.11.4)
- Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- SPZV-50
- Frinocular port includes easy adjust C-mount camera adapter for fine focusing Includes rubber eyeguards and dust cover

| | Product ID | Description |
|--|------------|---|
| SPZ-50 SPZ-50 Stereo Zoom Binocular Microscope | | SPZ-50 Stereo Zoom Binocular Microscope |
| | SPZV-50 | SPZV-50 Stereo Zoom Trinocular Microscope |

Optical Data for SPZ-50 & SPZV-50

| Eyepiece DHW10x (F.N.23) | | | | | |
|----------------------------|------------|------------|------------|------------|--------|
| Auxiliary Lens Nil | | w/0.5x | w/0.75x | w/1.6x | w/2x |
| Magnifications | 6.7x-50x | 3.35x-25x | 5x-37.5x | 10.72x-80x | 13.4x- |
| Working Dist. | 108mm | 240mm | 132mm | 50mm | 41mm |
| Field of View | 34.3-4.6mm | 68.9-9.2mm | 45.7-6.1mm | 21.4-2.8mm | 17.1-2 |

| Eyepiece DHW15x (F.N.15) | | | | | |
|----------------------------|------------|-------------|--------------|-------------|----------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x |
| Magnifications | 10.05x-75x | 5.02x-37.5x | 7.53x-56.25x | 16.08x-120x | 20.1x-1 |
| Working Dist. | 108mm | 240mm | 132mm | 50mm | 41mm |
| Field of View | 22.3-3mm | 44.7-6mm | 29.8-4mm | 16-1.8mm | 11.1-1.5 |

| Eyepiece DHW20x (F.N.11.4) | | | | | |
|------------------------------|------------|----------|------------|-------------|------------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x |
| Magnifications | 13.4x-100x | 6.7x-50x | 10.05x-75x | 21.44x-160x | 26.8x-200x |
| Working Dist. | 108mm | 240mm | 132mm | 50mm | 41mm |
| Field of View | 17-2.2mm | 34-4.5mm | 22.6-3mm | 10.6-1.4mm | 8.5-1.1mm |

NOTE: When creating your own microscope system, the 0.5x Auxiliary Lens cannot be used on the SPZ series body with stands P, PF, T and TL.

> Register online to receive updates on the newest products and for the latest specials from Aven.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

12

13

26700-215





SPZH-135 Series Stereo Zoom Microscopes

- Magnification Range: 21x to 135x (14x to 180x with optional lenses)
- 6.4:1 Zoom Ratio
- Field of View: 34.3mm to 3.6mm (1.35" to 0.14")
- Working Distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- DHW20x (F.N.11.4) optional eyepieces available

- SPZH-135
- Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eyeguards and dust cover

| Product ID | Description |
|------------|---|
| SPZH-135 | SPZH-135 Stereo Zoom Binocular Microscope |
| SPZHT-135 | SPZHT-135 Stereo Zoom Trinocular Microscope |

Optical Data for SPZH-135 & SPZHT-135

| Eyepiece | DHW15x (F.N.15) | DHW15x (F.N.15) | | 1) |
|----------------|-----------------|-----------------|-----------|------------|
| Auxiliary Lens | Nil | w/0.5x | Nil | w/0.5x |
| Magnifications | 21x-135x | 10.5x-67.5x | 28x-180x | 14x-90x |
| Working Dist. | 84mm | 135mm | 84mm | 135mm |
| Field of View | 10.7-1.6mm | 21.4-3.3mm | 8.1-1.2mm | 16.2-2.5mm |

NSW Series Binocular Stereo Microscopes

- ▶ Dual magnification (10x/20x; 10x/30x; 6x/20x)
- Field of view 38.3mm at 6x
- Field of view 23mm at 10x
- Field of view 11.5mm at 20x
- Field of view 7.6mm at 30x
- Includes DSW10x (F.N.23) eyepieces
- Includes rubber eyeguards and dust cover



| 1 | Product ID | Description |
|---|------------|--|
| NSW-20 Dual Magnification 10x & 20x Stereo Body | | Dual Magnification 10x & 20x Stereo Body |
| | NSW-30 | Dual Magnification 10x & 30x Stereo Body |
| NSW-620 Dual Magnification 6x & 20x Stereo Body | | Dual Magnification 6x & 20x Stereo Body |

Optical Data for NSW Series Binocular Stereo Microscopes

| Models | NSW-20 | NSW-30 | NSW-620 |
|----------------------------------|----------------------------|--|-----------------------------|
| Magnification (Field of View) | 10x (23mm) 20x (11.5mm) | 10x (23mm) 30x (7.6mm) | 6x (38.3mm) 20x (11.5mm) |
| Objective Lenses | 1x & 2x | 1x & 3x | 0.6x & 2x |
| Eyepieces | | Wide Field DSW10x (F.N.23) | |
| Optical Body | 360º rotatable | 360° rotatable binocular type 45° inclined eyepiece tube | |
| Working Distance | 82.5mm | 82.5mm | 82.5mm |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

-100x 2.3mm

150x .5mm 200x



Stereo Zoom Microscopes

High-grade optics and unibody design

DSZ-44 Series Stereo Zoom Microscopes

- Magnification Range: 10x to 44x (2.5x to 140.8x with optional lenses)
- Zoom ratio: 4.4:1
- Field of view 23mm to 5.2mm (0.90" to 0.20")
- ▶ Working distance: 90mm (3.54")
- Includes Wide Field DSW10x (F.N.23) eyepieces
- Optional eyepieces available include DSW5x (F.N.22.5), DSW15x (F.N.15) &
- DSW20x (F.N.11.4) Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eyeguards and dust cover

| FIGURE | Description |
|---------|---|
| DSZ-44 | DSZ-44 - Stereo Zoom Binocular Microscope |
| DSZV-44 | DSZV-44 - Stereo Zoom Trinocular Microscope |
| | |

Optical Data for DSZ-44 & DSZV-44

| Eyepiece DSW5x (F.N. | 22.5) | | | |
|------------------------|------------|-----------|-------------|----------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x |
| Magnifications | 5x-22x | 2.5x-11x | 3.75x-16.5x | 8x-35.2x |
| Working Dist. | 90mm | 150mm | 105mm | 45mm |
| Field of View | 22.5-5.1mm | 45-10.2mm | 30-6.8mm | 14-3.1mm |

| Eyepiece DSW10x (F.N. 23) | | | | |
|-----------------------------|----------|-----------|------------|------------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x |
| Magnifications | 10x-44x | 5x-22x | 7.5x-33x | 16x-70.4x |
| Working Dist. | 90mm | 150mm | 105mm | 45mm |
| Field of View | 23-5.2mm | 46-10.4mm | 30.6-6.9mm | 14.3-3.2mm |

| Eyepiece DSW15X (F.N. 15) | | | | |
|-----------------------------|----------|----------|--------------|------------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x |
| Magnifications | 15х-66х | 7.5x-33x | 11.25x-49.5x | 24x-105.6x |
| Working Dist. | 90mm | 150mm | 105mm | 45mm |
| Field of View | 15-3.4mm | 30-6.8mm | 20-49.5mm | 9.3-2.1mm |

| Eyepiece DSW20X (F.N. 11.4) | | | | |
|-------------------------------|------------|------------|-------------|------------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x |
| Magnifications | 20x-88x | 10x-44x | 15х-ббх | 32x-140.8x |
| Working Dist. | 90mm | 150mm | 105mm | 45mm |
| Field of View | 11.4-2.5mm | 22.8-5.1mm | 15.2-3.45mm | 7.1-1.6mm |

DSZ-70 Series Binocular Zoom Microscopes

- Magnification Range: 20x to 70x (5x to 224x with optional lenses)
- 3.5:1 Zoom Ratio Field of View: 10mm to 2.8mm (0.39"
- to 0.11")
- Working Distance: 80mm (4.25")
- Includes DSW10xZ (F.N.20) eyepieces
- Optional eyepieces available include DSW5xZ (F.N.20), DSW15x (F.N.15) & DSW20x (F.N.11.4) Versatile binocular microscope best suited for
- high magnification applications
- Includes rubber eyeguards and dust cover

| F | Product ID | Description |
|---|------------|---|
| | DSZ-70 | DSZ-70 - Binocular Stereo Zoom Microscope |

Optical Data for DSZ-70

| Eyepiece DSW5xZ (F.N.20) | | | | |
|----------------------------|----------|----------|-------------|-----------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x |
| Magnifications | 10x-35x | 5x-17.5x | 7.5x-26.25x | 16x-56x |
| Working Dist. | 80mm | 120mm | 85mm | 41mm |
| Field of View | 10-2.9mm | 20-5.7mm | 13.3-3.8mm | 6.2-1.7mm |

| Eyepiece DSW10xZ (F.N. 20) | | | | |
|------------------------------|----------|----------|------------|-----------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x |
| Magnifications | 20x-70x | 10x-35x | 15x-52.5x | 32x-112x |
| Working Dist. | 80mm | 120mm | 85mm | 41mm |
| Field of View | 10-2.8mm | 20-5.7mm | 13.3-3.8mm | 6.2-1.7mm |

| Eyepiece DSW15x (F.N. 15) | | | | |
|-----------------------------|-----------|-----------|--------------|-----------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x |
| Magnifications | 30x-105x | 15x-52.5x | 22.5x-78.75x | 48x-168x |
| Working Dist. | 80mm | 120mm | 85mm | 41mm |
| Field of View | 7.5-2.1mm | 15-4.2mm | 10-2.8mm | 4.6-1.3mm |

| Eyepiece DSW20x (F.M | N. 11.4) | | | |
|------------------------|-----------|------------|-----------|----------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x |
| Magnifications | 40x-140x | 20x-70x | 30x-105x | 64x-224x |
| Working Dist. | 80mm | 120mm | 85mm | 41mm |
| Field of View | 5.7-1.6mm | 11.4-3.2mm | 7.6-2.1mm | 3.5-1mm |



Design Your Own Microscope System

With a large variety of cameras, lighting options, and stands and focus mounts, you can create and order your own customized microscope system on our website. If you need help creating a custom system, please call our experienced sales team and let them assist you in creating a tailor made solution that will meet your specific requirements.



www.aveninc.com

Stereo Zoom Microscopes

Preconfigured Microscope Systems

SPZH-135 Stereo Zoom **Binocular Microscope** on Stand PLED

- Magnification Range: 21x to 135x
- Zoom Ratio: 6.4:1
- ▶ Field of View: 10.7-1.6mm (0.42" to 0.6")
- ▶ Working Distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 50mm to 74mm (1.96" to 2.91") accommodates any operator
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-351 SPZH-135 Stereo Zoom Binocular Microscope on Stand PLED

SPZH-135 Stereo Zoom Microscope with DBL Arm Boom, EARM, LED FOI illumination

- Magnification Range: 21x to 135x
- Zoom Ratio: 6.4:1
- ▶ Field of View: 10.7-1.6mm (0.42" to 0.6")
- ▶ Working Distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even
- for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 50mm to 74mm (1.96" to 2.91") accommodates any operator
- Mounted in an E-ARM focus mount attached to a Double Arm Boom Stand that delivers the smooth movement of a ball bearing slide, letting the microscope glide easily over and across objects being viewed
- ▶ High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-352 SPZH-135 Stereo Zoom Microscope w/ DBL Arm Boom, EARM, LED FOI

> Register online to receive updates on the newest products and for the latest specials from Aven.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

15



DSZ-70





SPZHT-135 Stereo Zoom Trinocular Microscope on Stand PLED with HD Monitor

Magnification Range: 21x to 135x

- On screen Magnification Range: 27x to 179x
- Zoom Ratio: 6.4:1
- ▶ Field of View: 10.7-1.6mm (0.42" to 0.6")
- Working Distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 50mm to 74mm (1.96" to 2.91") accommodates any operator
- Click stop zoom adjustments for accurate, repeatable measurement
- 1080P HD camera for unsurpassed imagery
- One touch fine focus trinocular camera port adjustment for quick easy canara focus and parfocaling the scope
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work
- Monitor helps increase productivity by reducing eye & neck strain



26800B-352

26800B-351

Product ID Description

SPZHT-135 Stereo Zoom Trinocular Microscope on Stand PLED with HD 26800B-353

SPZHT-135 Stereo Zoom Trinocular Microscope on Stand LW w/ FOI

- Magnification Range: 21x to 135x
- On screen Magnification Range: 76x to 494x
- Zoom Ratio: 6.4:1
- ▶ Field of View: 10.7-1.6mm (0.42" to 0.6")
- Working Distance: 84mm (3.3")
- ▶ Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 50mm to 74mm (1.96" to 2.91") accommodates any operator
- Click stop zoom adjustments for accurate, repeatable measurement
- 1080P HD camera for unsurpassed imagery
- One touch fine focus trinocular camera port adjustment for quick, easy camera focus and parfocaling the scope
- Mounted in an E-ARM focus mount attached to a LW articulating arm stand that extends area of view and working distance
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work
- Monitor helps increase productivity by reducing eye & neck strain

| Product ID | Description |
|------------|---|
| 26800B-354 | SPZHT-135 Stereo Zoom Trinocular Microscope on Stand LW with LED Fiber Optic Illuminator |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

26800B-354





SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS w/ Integrated LED Ring Light

- ▶ Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- ▶ Working Distance: 108mm (4.25")
- ► Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Double Arm Boom Stand delivers smooth movement of a ball bearing slide, letting the microscope glide easily over and across objects being viewed
- Filtable arbor enables you to angle the microscope for maximum comfort and viewing
- Integrated 60 LED Ring Light with dimmer
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS & Integrated 26800B-369 LED Ring Light

SPZ-50 Stereo Zoom Binocular Microscope on

Stand DABS with LED FOI

- ▶ Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- ▶ Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Double Arm Boom Stand delivers smooth movement of a ball bearing slide, letting the microscope glide easily over and across objects being viewed
- Filt able arbor enables you to angle the microscope for maximum comfort and viewing
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-370 SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS w/ LED FOI



AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Stereo Zoom Microscopes

Preconfigured Microscope Systems

26800B-37

26800B-372

SPZ-50 Stereo Zoom Binocular Microscope on

Stand PLED

26800B-369

26800B-370

- Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and
- spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS & Integrated 26800B-371 LED Ring Light

SPZ-50 Stereo Zoom Binocular Microscope

on Stand LW & LED Ring Light

- Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Mounted in an E-ARM focus mount attached to a LW articulating arm stand that extends area of view and working distance
- 60 LED Ring Light with brightness and 4 sector control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

roduct ID Description

26800B-372 SPZ-50 Stereo Zoom Binocular Microscope on Stand LW & LED Ring Light

SPZ-50 Stereo Zoom Microscope on Stand P with Diffuse

Axial LED Illuminator

- ▶ Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- ▶ Working Distance: 108mm (4.25") Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even operators with eyeglasses
- Diopter adjustment on both eyepiece tubes Adjustable Interpupillary Distance of 52mm to 75mm
- (2.04" to 2.95") accommodates any operator Compact lightweight pole stand with focus mount
- Diffuse Axial LED Illuminator, ideal for viewing highly relective parts, eliminates hot spots & reduces glare
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

SPZ-50 Stereo Zoom Binocular Microscope on Stand P w/ Diffuse Axial 26800B-384 lluminator

Stereo Zoom Microscopes

Preconfigured Microscope Systems

DSZ-44 Stereo Zoom Binocular Microscope on Stand DABS with LED FOI

- ► Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1
- Field of View: 23-5.2mm
- (0.91" to 0.2") Working Distance: 90mm (3.54")
- Includes wide field DSW10x (F.N.23)
- evepieces
- Diopter adjustment on both
- eyepiece tubes Adjustable Interpupillary
 - Distance of 52mm to 75mm 26800B-303 (2.04" to 2.95") accommodates any operato
- Double Arm Boom Stand delivers smooth movement of a ball bearing slide, letting the microscope glide easily over and across objects being viewed
- Tiltable arbor enables you to angle the microscope for maximum comfort and viewing
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

extends area of view and working distance

Description

Liaht

See Aven's exclusive article

Microscope or Video

Inspection System"

"How to Select the Right

spherical aberration

60 LED Ring Light with brightness and 4 sector control

Coarse and fine focusing, ideal for fine detail work

Multi coated optical components, free from chromatic and

Product ID Description

17

26800B-384

16

Product ID

26800B-308

DSZ-44 Stereo Zoom Binocular Microscope on Stand DABS with LED Fiber 26800B-303 Optic Illuminator

DSZ-44 Stereo Zoom Binocular Microscope on Stand LW with LED Ring Light



DSZ-44 Stereo Zoom Binocular Microscope on Stand LW with LED Ring

Visit

www.aveninc.com

DSZ-44 Gemscope

- Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1
- Field of View: 23-5.2mm (0.91"-0.2")
- Working Distance: 90mm (3.54")
- Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Gemology stand (inclines from 0-10°) with independently controllable fluorescent front light and dimmable halogen pipe light with separate controls
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Description Product ID 26800B-386 DSZ-44 Gemscope

DSZV-44 Gemscope w/1080P

HD Camera

- Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1
- ▶ Field of View: 23-5.2mm (0.91"-0.2")
- Working Distance: 90mm (3.54")
- Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 2.95") accommodates any operator
- 1080P HD camera for unsurpassed imagery

▶ Gemology stand (inclines from 0-10°) with independently controllable fluorescent front light and dimmable halogen pipe light with separate controls

- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work
- Monitor helps increase productivity by reducing eye & neck strain

Product ID Description

26800B-387 DSZV-44 Gemscope w/1080P HD Camera

DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam USB 5M CMOS Camera

Magnification Range: 10x to 44x

- Zoom Ratio: 4.4:1
- Field of View: 23-5.2mm (0.91"-0.2")
- Working Distance: 90mm (3.54")
- ► Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eveniece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Mighty Cam USB 5M CMOS Camera with ezMeasure software
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty 26800B-323 Cam LISB 5M CMOS Camera

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108







26800B-323







Zoom Ratio: 4.4:1

Stereo Zoom Microscopes

Preconfigured Microscope Systems

26800B-361

Video Inspection Systems Video Inspection System Lenses

Micro Lens System Zoom 640

- ▶ Infinity Optical Design for large depth of field and zoom ratio
- Parfocal throughout zoom range
- Compact design
- High contrast images and vivid colors

Aven Micro Lens System produces crisp and clear images that are distortion free and void of chromatic aberration. This lens system comes with detents which allows you to calibrate the lens for measurement repeatability. Comes standard with 1x C mount coupler and 1x objective lens. Total magnification is 0.6x to 4.0x. Field of View is 6 x 8mm at low magnification and 0.8 x 1.2mm at high magnification. Working Distance is 82mm. Additional couplers and objective lenses are available to help you configure a lens system to meet your application.



26700-151

| Product ID | Description |
|------------|----------------------------|
| 26700-151 | Micro Lens System Zoom 640 |

Micro Lens System Zoom 640 with In Line LED Coaxial Illumination

- ► Inline Coaxial Illumination for highly reflective surfaces
- ▶ Infinity Optical Design for large depth of field and zoom ratio
- Parfocal throughout zoom range
- Compact design

► High contrast images and vivid colors

Aven Micro Lens System with inline Coaxial Illumination is ideal for applications involving highly reflective surfaces, such as wafers, polished parts and fluids. This lens system will provide even illumination in high magnification applications. This lens system comes with detents which allows you to calibrate the lens for measurement repeatability. Comes standard with 1x C-mount coupler and 1x objective lens and LED illuminator with intensity control. Total magnification is 0.6x to 4.0x, Field of view is 6 x 8mm at low magnification and 0.8 x 1.2mm at high magnification. Working distance is 82mm. Additional couplers and objective lenses are available to help you configure a lens system to meet your application.

Product ID Description

Create Your Own Custom Video Inspection System

With a large variety of adapters, auxiliary lenses, cameras, lighting options, video capture cards and stands you can create and order your own customized video inspection system on our website. If you need help creating a custom video inspection system, please call our experienced sales team and let them assist you in creating a tailor made solution that will meet your specific requirements. Whether you are inspecting objects like integrated circuits, solder joints and small parts, or you require magnification for precision assembly we can provide a customized solution to fit your needs.



1080P HD camera for unsurpassed imagery Pole stand with built in LED illumination with dimmer

HD Camera and 8" HD Monitor

Field of View: 23-5.2mm (0.91"-0.2")

► Includes wide field DSW10x (F.N.23) eyepieces

(2.04" to 2.95") accommodates any operator

Diopter adjustment on both eyepiece tubes

▶ Magnification Range: 10x to 44x

▶ Working Distance: 90mm (3.54")

- control Multi coated optical components, free from chromatic and
- 26800B-327 spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED HD Camera 26800B-327 and 8" HD Monitor

DSZ-70 Stereo Zoom Binocular Microscope

- on Stand P with LED FOI
- Magnification Range: 20x to 70x
- Zoom Ratio: 3.5:1
- ▶ Field of View: 10-2.8mm (0.39"-0.11")
- Working Distance: 80mm (3.15") ▶ Includes wide field DSW10xZ (F.N.20)
- evepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates operator
- Compact lightweight pole stand with focus mount
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description



NSW-20 Stereo Binocular Microscope with Stand PLED

- ► Magnification: 10x & 20x
- ▶ Field of View 10x; 23mm (0.91")
- Field of View 20x: 11.5mm (0.45")
- ▶ Working Distance: 113mm (4.45") Includes wide field DSW10x (F.N.23)
- eyepieces Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to
- 75mm (2.04" to 2.95") accommodates any operator
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

NSW-20 Stereo Binocular Microscope with Stand PLED 26800B-360

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108 Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

26800B-360

- dimmer control

 - Coarse and fine focusing, ideal for fine detail work

26800B-365

roduct ID Description

26800B-365 NSW-620 Stereo Binocular Microscope with Stand PLED

> Find us on: facebook

26800B-344 any

26800B-361 NSW-30 Stereo Binocular Microscope with LW Stand & LED Ring Light

Coarse and fine focusing, ideal for fine detail work

NSW-620 Stereo Binocular

Description

Magnification: 6x & 20x

spherical aberration

roduct ID

& LED Ring Light

► Magnification: 10x & 30x

Field of View 10x; 23mm (0.91")

Field of View 30x: 7.6mm (0.30")

Working Distance: 107mm (4.21")

Includes wide field DSW10x (F.N.23) eyepieces

Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to

arm stand that extends area of view and working distance

Multi coated optical components, free from chromatic and

60 LED Ring Light with brightness and 4 sector control

Mounted in an E-ARM focus mount attached to a LW articulating

Diopter adjustment on both eyepiece tubes

2.95") accommodates any operator

- ▶ Field of View 6x; 38.3mm (1.51")
- Field of View 20x: 11.5mm (0.45")
- ▶ Working Distance: 82.5mm (3.24")
- Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator





- Pole stand with built in LED illumination with
- Multi coated optical components, free
- from chromatic and spherical aberration









19

18

26700-151-CX Micro Lens System Zoom 640 with In Line LED Coaxial Illumination





Micro Lens System FM123

- Four Lenses
- Switchable Magnification
- Object stays in focus when switching magnification
- Can be used as a monocular microscope with included 10x eyepiece
- C-Mount Adapter Included

The Micro FM123 lens has four switchable lenses, 0.78x, 1.56x, 2.34x and 3.12x, located in the unit. Simply rotate the head to switch between magnifications. It includes a 10x eyepiece which allows you to use the lens as a monocular microscope with magnification of 7.8x, 15.6x, 23.4x and 31.2x. Using a 1/3" CCD camera and a 19" monitor, the on screen magnification is about 62x, 125x, 188x and 250x subject to 4:3 aspect ratio of both screen and camera chip. For other aspect ratio such as 16:9, these magnifications may change depending on the screen and the camera used. Ideal for high magnification field of view measurement.



26700-

| Product ID | Description |
|------------|-------------------------|
| 26700-151 | Micro Lens System FM123 |

Macro Lens System Zoom 7000

- ► 6:1 zoom ratio
- 6x magnification over focal range of 18mm to 108mm (0.71" to 4.25")
- Working distance 127mm (5") to Infinity Compatible with cameras 16.9mm (0.67")
- or smaller

The Zoom 7000 is a close focusing macro video lens ideal for applications where objects over 25mm (1") in diameter must be imaged. It offers unsurpassed clarity and parfocal zoom capabilities. Compatible with cameras 2/3" (16.9mm) or smaller. Ideal for quality assurance or assembly applications



26700-180

where easy to view, sharp and true to life magnified image of your product is required.

| Product ID | Description |
|------------|-----------------------------|
| 26700-180 | Macro Lens System Zoom 7000 |





AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Adapter Plate for Macro Lens Zoom 7000

- Adaptor for Macro Lens Zoom 7000
- For focus mounts (26800B-517 & 26800B-518)
- Outside diameter: 73mm
- Inside diameter: 46.75mm

Product ID

22.5mm height





Description 26800B-430 Adapter Plate for Macro Lens Zoom 7000

Adapter Plate for Micro Lens 640

- Adaptor for Micro Lens 640
- For focus mounts (26800B-517 & 26800B-518)
- Outside diameter: 73mm
- Inside diameter: 35.25mm
- 24mm height

Product ID

26700-151AP



26700-151AP

Description Adapter Plate for Micro Lens 640

C-Mount Coupler 0.5x

- Mounts to Micro Video Lens System Zoom 640
- Reduces magnification by 0.5x
- Ideal for cameras with sensors 12.7mm (1/2") or larger
- Can be used with any C-Mount camera
- See optical specification chart for more details

26700-156

Product ID Description 26700-156 C-Mount Coupler 0.5x

C-Mount Coupler 1.0x

- Mounts to Micro Video Lens System Zoom 640
- Increases magnification by 1x
- Ideal for with sensors less than 16.9mm (2/3")
- Can be used with any C-Mount camera
- See optical specification chart for more details

26700-158

26700-162

| Product ID | Description |
|------------|----------------------|
| 26700-158 | C-Mount Coupler 1.0x |
| | |

Objective Lens 0.5x

- Objective Lens for Micro Video Lens System Zoom 640
- Reduces magnification by 0.5x Color corrected lens system
- Working distance 175mm (6.9")
- See optical specification chart for more details

| Product ID | Description |
|------------|---------------------|
| 26700-162 | Objective Lens 0.5x |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Objective Lens 0.75x

Objective Lens for Micro Video Lens System Zoom 640

Video Inspection Systems

Adapters, Couplers and Objective Lenses

26700-164

26700-165

26700-166

26700-163

- Reduces magnification by 0.75x
- Color corrected lens system
- Working distance 117mm (4.6")
- See optical specification chart for more details

roduct ID Description 26700-163 Objective Lens 0.75x

Objective Lens 1x

- Objective Lens for Micro Video Lens System Zoom 640
- Color corrected lens system
- Working distance 82mm (3.2")
- See optical specification chart for more details

Product ID Description 26700-164 Objective Lens 1x

Objective Lens 1.5x

- Objective Lens for Micro Video Lens System Zoom 640
- Increases magnification by 1.5x
- Color corrected lens system
- Working distance 54mm (2.1")
- See optical specification chart for more details

roduct ID Description

26700-165 Objective Lens 1.5x

Objective Lens 2x

- Objective Lens for Micro Video Lens System Zoom 640
- Increases magnification by 2x
- Color corrected lens system
- Working distance 35mm (1.4")
- See optical specification chart for more details

roduct ID Description

26700-166 Objective Lens 2x

Optical Data Chart

| Objective | | | CCD Coupler | |
|---------------|---------------------|------------|------------------|-----------------|
| Magnification | Working Distance | | 0.5X | 1X |
| | WD:293mm | Total Mag. | 0.09X0.6X | 0.18X1.2X |
| 0.3X | | FOV(mm) | 40X53.336X8 | 20X26.673X4 |
| | | Total Mag. | 0.15X1X | 0.3X2X |
| 0.5X | WD:175mm | FOV(mm) | 24X323.6X4.8 | 12X161.8X2.4 |
| | WD:117mm | Total Mag. | 0.225X1.5X | 0.45X3X |
| 0.75X | | FOV(mm) | 16X21.33-2.4X3.2 | 8X10.67-1.2x1.6 |
| | WD: 82mm | Total Mag. | 0.3X-2X | 0.6X-4X |
| 1X | | FOV(mm) | 12X16-1.8X2.4 | 6X8-0.9X1.2 |
| | WD:54mm | Total Mag. | 0.45X-3X | .9X-6X |
| 1.5X | | FOV(mm) | 8X10.67-1.2X1.6 | 4X5.33-0.6X0.8 |
| 21/ | | Total Mag. | 0.6X-4X | 1.2X-8X |
| 2X | WD:35mm | FOV(mm) | 6X8-0.9X1.2 | 3X4-0.45X0.6 |

Video Inspection Systems

Preconfigured Micro Zoom Video Inspection Systems

Micro Zoom Series 640 PK1

- PC not required for image processing
- Produces crisp clear images White LED illumination with intensity
- control
- Color camera with movable and switchable crosshairs
- On screen menu for controlling color, contrast, white balance etc.
- Heavy Duty Post Stand includes
- 10 tapped holes for mounting x-y stages
- Compact system, helps save bench space
- On screen magnification: 14.25x to 190x
- ▶ Working distance: 82mm with 1x Objective Lens
- ▶ Field of view: 6 x 8 to 0.9 x 1.2mm with 1x Objective
- Parfocal lens system

Product ID Description 26700-102-00 Micro Zoom Series 640 PK1

Micro Zoom Series 640 PK2

- PC not required for image processing
- Produces stunning clear and crisp HD images White LED Fiber Optic

Parfocal lens system

Product ID

26700-102-10



- 26700-102-10
- 1080P Color Camera with HDMI output; On screen menu for controlling color, contrast, white balance etc
- Dual Arm Boom Stand provides stability and eliminates vibrations while allowing you to move over large areas of the object being viewed
- Lens can be angled in any direction for enhanced viewing

► Field of view: 6 x 8 to 0.9 x 1.2mm with 1x Objective

Micro Zoom Series 640 PK2

- On screen magnification: 19.5x to 263x
- Working distance: 82mm with 1x Objective Lens

Description

Benchtop Measurement System

Micro Zoom Series 640 PK3

required for image processing

White LED Fiber Optic Illumination

USB mouse control and Built In

circles, arcs, squares, polygon,

perimeters, angles, center to

Compact system, helps save bench space

Description

Micro Zoom Series 640 PK3 Benchtop Measurement System

On screen magnification: 19.5x to 263x Working distance: 82mm with 1x Objective Lens ▶ Field of view: 6 x 8 to 0.9 x 1.2mm with 1x Objective

► HD 1080p Color camera with

Measurement Software

Measure lines/distance,

center distance

Parfocal lens system

Product ID

26700-102-15

21

20



26700-102-30

26700-102-35



26700-102-00

Micro Series FM123 PK4 Benchtop Measurement

System

- Measure lines/distance, circles, arcs, and polygons
- Produces crisp and clear images
- White LED Fiber Optic Illumination Color camera with USB mouse control and Built in
- Measurement Software On screen menu for controlling color, contrast, white balance
- etc On screen magnification from 44.2x to 176.9x
- Working distance: 64.3mm
- Four switchable lens system: 0.78x, 1.56x, 2.34x, and 3.12x
- Field of view: 6 x 4.5mm @ 0.78x; 3 x 2.2mm @ 1.56x; 2 x 1.5mm @ 2.34x: 1.5 x 1.1mm @ 3.12x

| Product ID | Description |
|--------------|--|
| 26700-102-20 | Micro Series FM123 PK4 Benchtop Measurement System |

Micro Zoom Series 745 PK1

- Produces crisp clear images
- View object on a large 22" HD Colo LED Monitor
- Working distance: 46mm
- Field of view: 8.8 to 1.3mm
- On screen magnification from 50x to 340x
- Compact system helps save bench space
- White top and bottom LED illumination with intensity control
- ▶ 720p VGA color camera with cross hair and on screen menu for controlling color, contrast, white balance etc.

Description

Micro Zoom Series 745 PK1

Micro Zoom Series 640 with **Coaxial Illumination PK 5**

- In line coaxial illumination helps reduce when inspecting shiny parts
- Color HD camera with movable and switchable crosshairs
- On screen menu for controlling color, contrast and white balance
- Parfocal lens system
- Working distance: 46mm
- Field of view: 8.8 to 1.3mm
- On screen magnification from 50x to 340x

| Product ID | Description |
|--------------|--|
| 26700-102-35 | Micro Zoom Series 640 with Coaxial Illumination PK 5 |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108





Product ID

26700-102-30



26700-

102-15



Macro Series Zoom 7000 PK M1

- Stunning Life Like Picture on 22" HD LCD Monitor
- Large Magnification Range 3.7x to 61.9x
- Large working distance; 117.8 to 304.8mm
- ► 6:1 zoom allows for quick magnification of area of interest
- Parfocal over entire zoom range
- PC not required for image processing
- Heavy Duty Post Stand includes 10 tapped holes for mounting x-y stages

| Product ID | Description |
|--------------|------------------------------|
| 26700-103-00 | Macro Series Zoom 7000 PK M1 |

Macro Series Zoom 7000 PK M2

- Stunning Life Like Picture on LCD Monitor
- Large Magnification Range 3.7x to 61.9x Large working distance;
- 117.8 to 304.8mm Double Arm "Easy Glide"
- Boom Stand with heavy base for stability
- Parfocal over entire zoom range
- PC not required for image processing
- ▶ 6:1 zoom allows for quick magnification of area of interest

Video Inspection Systems

Preconfigured Macro Zoom Video Inspection Systems

Macro View

All in One Scope

- Wide field of view and long working distance
- Two parfocal lenses (10x & 15x)
- Built in 60 LED ring light with intensity control
- 2x Digital Zoom and Mirror function 26700-104-00 built into camera
- Compact and Easy to Use
- Focus mount includes course and fine adjustment knobs
- On screen Magnification: 10x and 15x; 20x and 30x with optional 2x lens; 40x and 60x with optional 4x lens
- Working distance: 145mm; 69mm with optional 2x lens; 29mm with optional 4x lens
- Field of view: 20 x 15mm at 10x; 13.3 x 10mm at 15x

roduct ID Description

26700-104-00 Macro View All in One Scope

Auxiliary Lens 2x for Macro All in One Scope

Increases on screen magnification for Macro View All in One Scope Decreases working distance and field of view

Description

26700-104-2X

Auxiliary Lens 2x for Macro View All in One Scope

26700-103-10 Macro Series Zoom 7000 PK M2

Description

Macro Series Zoom 7000 PK M3

- Stunning Life Like Picture on 22" HD LCD Monitor
- ► Large Magnification Range 3.7x to 61.9x
- Large working distance: 117.8 to 304.8mm

Product ID

► 6:1 zoom allows quick magnification of area of interest

Light weight articulating arm with E-Arm allows users to cover a large working area and move microscope out of the way when not in use

26700-103-20

- Parfocal over entire zoom range
- PC not required for image processing

| Product ID | Description | |
|--------------|------------------------------|--|
| 26700-103-20 | Macro Series Zoom 7000 PK M3 | |

| | Decreases working distance | 110 |
|--------|----------------------------|-----------|
| orking | and field of view | Sec. Sec. |

Increases on screen

magnification for Macro

View All in One Scope

Product ID

26700-104-2x



26700-104-4X

| Product ID | Description |
|--------------|---|
| 26700-104-4x | Auxiliary Lens 4x for Macro View All in One Scope |

Microscope & Video Accessories

CCD & CMOS Cameras

Mighty Cam USB 5M CMOS Camera

The Mighty Cam USB 5M CMOS camera includes ezMeasure software which produces stunning images with exceptional clarity for measuring, analyzing and annotating your magnified images. The large 5M CMOS sensor provides excellent color fidelity offering true color out of the box with no need for adjustment. The versatile C/CS lense mount adapter ring attaches between camera and lens, and converts a CS-Mount lens to C-Mount camera to achieve a focused image.



26100-243

- Provides wide, dynamic range and crisp, natural color reproduction in any lighting
- USB 5M CMOS Camera with ezMeasure Software
- ► 5M CMOS Sensor (2592 x 1944)
- Easy Plug and Play USB 2.0 Interface
- Compact and Light Weight
- Versatile C/CS lenses mount
- ▶ Ideal for inspection, scientific image analysis, biomedical research

| Product ID | Description |
|------------|-------------------------------|
| 26100-243 | Mighty Cam USB 5M CMOS Camera |

Mighty Cam Connect

The Mighty Cam Connect is a new generation microscope camera, turning traditional microscopes into wireless inspection systems. The Mighty Cam Connect features a built-in Wi-Fi hotspot that wirelessly broadcasts high quality images in real time to a free app available for iOS and Android devices.

- 26100-256
- Live streaming, capture and record video from the Free Wi-Viewer app
- ► Hardware snapshot button for instantly saving image to all connected devices
- ▶ Wi-Fi signal broadcasts up to 10m
- Connect up to 3 iOS/Android devices, share real time image simultaneously
- Active pixel technology for sharp images and accurate color reproduction

| Product ID | Description |
|------------|--------------------|
| 26100-256 | Mighty Cam Connect |
| | |

Mighty Cam VGA Color Camera 720p

Aven's color VGA camera allows connectivity directly to a PC monitor. A PC is not required for image processing thus saving you the cost of a PC and bench space. All features of the digital camera can be controlled via on screen menus such as RGB values, white balance, cross hair, auto exposure, etc.



- Compact 720p Color Camera with VGA output
- Live/Freeze Image Function; Cross Hair for quick gaging
- Produces crisp and clear color images in wide screen format
- Auto gain exposure setting to reduce glare
- On screen menu for guick access to camera settings

| Product ID | Description |
|------------|----------------------------|
| 26100-252 | Aven VGA Color Camera 720p |

23



26700-103-10



Mighty Cam VGA Color Camera 1.3M w/SD Card

Aven's color VGA camera allows you to connect directly to a PC monitor. A PC not required for image processing, thus saving you bench space. In addition, a built in SD card allows you to save images. All features of this digital camera can be controlled via on screen menus, such as RGB values, white balance, cross hair grid, and auto exposure. 4 Vertical and 4 horizontal cross hair grids available with 6 color selections.



26100-253

- Compact 1.3M Color Camera with VGA Output
- Built in SD card for saving images
- Live/Freeze Image Function
- Multiple cross hair for quick gaging
- Produces crisp and clear color images in wide screen format
- Auto gain exposure setting to reduce glare

| Product ID | Description |
|------------|---------------------------------------|
| 26100-253 | Aven VGA Color Camera 1.3M w/ SD Card |

Mighty Cam 1080P HDMI Color Camera 2M w/ USB Flash Drive

Aven's 1080P HD color camera allows you to connect the camera directly to a HD monitor with an HDMI input. A PC is not required for image processing, thus saving you bench space. In addition, a built in USB Flash Drive allows you to save images. All features of this digital camera can be controlled via on screen menus, such as RGB values, white balance, cross hair grid, and auto exposure.



26100-253HD

- Connects directly to an HD monitor with HDMI input
- Built in USB Flash Drive for saving images
- Live/Freeze image function
- Multiple cross hair for quick gaging
- Produces stunning life like images with exceptional clarity

| Product ID | Description |
|-------------|--|
| 26100-253HD | Aven 1080P HDMI Color Camera 2M w/ USB Flash Drive |

Mighty Cam HDMI Color Camera 2.0M w/USB Flash Drive & Built in Measurement Software



Aven's color HDMI camera with built in USB Flash Drive and measurement software, is a simple solution to those that need to inspect and measure with accuracy. A PC is not required for image processing and no software to install. Images with measurement data can be saved to the built in USB Flash Drive using the remote trigger (included). Built in software includes the following

features: Edge Detection, Live/Freeze Image, Measure line, circle, radius, angle and parallel lines.



26100-254

- Compact 720p Color Camera with VGA output
- Live/Freeze Image Function; Cross Hair for quick gaging
- Produces crisp and clear color images in wide screen format
- Auto gain exposure setting to reduce glare
- On screen menu for quick access to camera settings

| | Product ID | Description |
|-------------------|------------|---------------------------------------|
| | 26100-254 | Aven HDMI Color Camera 2.0M w/SD Card |
| AVEN, INC. 4330 | | VARSITY DRIVE ANN ARBOR, MI 48108 |



Microscope & Video Accessories

Imaging & Measurement Software

Microscope & Video Accessories

Imaging & Measurement Software

Anne Filing Sama Filing One States Street Diese

ezMeasure[®] Software

E. Hallon

۲ -

13

1

5

131

0 5

Measurement Camera Software for 26100-254

Measure and Analyze with Ease

The advanced measurement software is able to detect gray scale gradations and can measure a line, circle, radius, angle and parallel lines in millimeters or inches. Users can save five sets of measurement data on the USB Flash Drive, which simplifies comparisons and recordkeeping. White balance and exposure can be automatic or one-click mouse functions.



Moto Brouter Language Halp

Capture High Quality Images

Create enhanced still photos with or without measurement lines and save for further analysis.

Camera Settings

balance



Optional Capture Settings

Software allows you to choose which image format to save files in (JPG or BMP) and also measurements you added to



Edge Detection Tool

Software has an Intelligent Edge detection tool built in for finding boundaries of objects within images. It works by detecting the discontinuities in brightness.



Easy Measurement Calibration

The software also allows you

to edit all camera settings.

Options include luminance,

contrast, RGB values, auto

exposure and auto white

Calibrating the software for measurement is as simple as placing a ruler or other scale under the lens, selecting the size, e.g. 16mm and pressing the Calibrate button.



Magnifying Window

Software digitally magnifies the area around the mouse pointer by 4x, 9x and 16x (selectable). This is particularly helpful when you need to see minute features.

Additional Features

A

- ▶ Photo Browser displays images saved on USB Flash Drive and can be expanded to full screen for review
- ▶ Measurement results are displayed in the side panel and can be exported and saved on the USB Flash Drive
- ▶ Multiple measurement tools such as lines, parallel lines, circles and polygons (plotted with up to 10 points) are available in the Manual tab

* Note: Aven recommends that you use a detented lens system or a microscope with click stops for accurate repeatable measurements.



Grid Feature

back

Locate and compare with ease using multiple grid views.

Capture High Quality Images

Create enhanced still photos or

record a live video stream for play

IN RECEIPTION FRANK STORE STORE

.

0 0

Measurement Tools

- Set the image pixels to real units eg. mm or inches.
- ▶ Record and save multiple calibration settings.
- Measure the distances between different points, or edges.

Additional Features

- ▶ Fill Mode Tool determines the image size: Fit-to-Fill the entire viewing area, Zoomed in, or Preserve the Original aspect ratio.
- ▶ Location Button provides a cursor for the X,Y,Z-axis coordinates. Moving the Cursor with the mouse updates the coordinates.
- And many many more ...

| Product ID | Descrip |
|------------|---------|
| 26100-406 | ezMeasu |

25

the image.



Measure, Annotate and Analyze with Ease

ezMeasure® software allows you to measure, annotate, and analyze your images with just a few mouse clicks. Create written reports that include the raw data, plus the images involved. With ezMeasure® you can view realtime live images or screenshots from your saved folder which can be reviewed, replayed, and anaylzed. Recent projects are easily accessible with thumbprint menu.



Simultaneous Live Views

Use two cameras on same work station for side by side live views.



Customize the Layout

Set the layout to your personal preferences and save your unique settings for future use.



Text Button

Allows annotations directly onto the screen. The user has the abiltiy to adjust the size and the appearance of the text.

| otion | | |
|---------------------------|--|--|
| ure [®] Software | | |



Energy efficient and eco friendly

26200B-213

| Product ID | Description |
|------------|-----------------------------|
| 26200B-213 | Ring Light LED Triple Color |

* Note: When used with articulating stand, single arm boom stand, or double arm boom stand, an arbor (26800B-521) is required for mounting.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

be used with standard

low temperature.

& shiny surfaces.

often referred to

microscopes and video

Fiber optic illuminators are

as "cold light" illuminators

a ring light with polarizer for shiny surfaces as www.aveninc.com

lenses providing a stable bright light at a very

because they provide high intensity focused

light without the heat typically associated with

high intensity lamps. Additional options include

well as diffuse axial LED illuminator for specular



Pro Series 40 LED Rina Light

- 40 powerful high precision aligned LEDs (white daylight)
- 4 guadrant controller and auto voltage sensing power supply
- Machined aluminum alloy housing for durability
- Fully adjustable dimming control
- 360° shadow free illumination





- Glass fitted inside metal ring with threaded screw
- Mounts to bottom of microscope body
- Useful when soldering under the microscope
- Protects fumes from damaging the microscope lenses
- 26800B-465

Product ID Description 26800B-465 Protective Lens Cover

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Product ID

26800B-512

Description

Pole Stand with Focus Mount and LED Illumination

Note: Pole stands are not suitable for SPZ Series microscopes with 0.5x lens as

vertical post is not long enough to accommodate the working distance.

Double Arm Boom Stand w/Heavy Duty Clamp 26800B-536

Note: Single & Double Arm Boom Stands require either a Focus Mount (26800B-517) with tiltable arbor (26800B-521) or E-Arm Focus Mount (26800B-518).

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

28

Product ID

26700-410

26700-411

29

Description

LCD Monitor Mount, 512 Series, Post Height 17-in

LCD Monitor Mount, 542 Series, Post Height 12-in





Gemology Stand with Fluorescent and Halogen Illumination

- Independently controllable fluorescent front light provides even shadow free illumination Dimmable halogen transmitted and pipe
- light with separate controls 2 post positioning, right and left for adjustable gem tweezers
- Adjustable iris in dark field attachment
- Stand can be inclined from 0 to 10 degree

26800B-507

| Product ID | Description |
|--|---|
| 26800B-507 | Gemology Stand with Fluorescent and Halogen Illumination |
| Base dimer Vertical post Aluminum 10 tapped UNC bolt a Vertical post to which both | ty Post Stand nsion: 279 x 330 x 12.7mm (10.98" x 13" x 0.5") st length: 406mm (15.98") powder coated base holes for mounting x-y stages nd safety clamp included 26800B-570 st will accept focus mount (26800B-517) odies SPZH, SPZ series, DSZ series and NSW be mounted |
| Product ID | Description |
| 26800B-570 | Heavy Duty Post Stand |
| | 5 |
| Will accept | neter ring our SPZH, SPZ, DSZ and NSW series microscopes |
| Will accept Product ID 26800B-517 | neter ring our SPZH, SPZ, DSZ and NSW series microscopes Description Focus Mount |
| Will accept Product ID 26800B-517 Comment Focus Focus Adju 50mm focudirection 74mm diar | Description Focus Mount Trus Mount |
| Will accept Product ID 26800B-517 E-Arm Focc Rack & Pini Focus Adju 50mm focu direction 74mm diar | Description Focus Mount Trus Trus Trus Trus Trus Trus Trus Trus |
| Will accept Product ID 26800B-517 C-Arm Focc Rack & Pini Focus Adju 50mm focus direction 74mm diar Mounts to Product ID 26800B-518 | Description Focus Mount Our SPZH, SPZ, DSZ and NSW series microscopes Description Focus Mount On Mechanism with Coarse stment using distance in vertical any of our boom stands or articulating arm stands Description E-Arm Focus Mount |
| Product ID 26800B-517 E-Arm Focc Rack & Pini Focus Adju 50mm focu direction 74mm diar Mounts to Product ID 26800B-518 Filtable Ar Designed t of boom st stands Allows tiltin | Description Focus Mount Our SPZH, SPZ, DSZ and NSW series microscopes Description Focus Mount On Mechanism with Coarse stment using distance in vertical any of our boom stands or articulating arm stands Description E-Arm Focus Mount |
| Will accept Product ID 26800B-517 E-Arm Focc Rack & Pini Focus Adju 50mm focu direction 74mm diar Mounts to Product ID 26800B-518 Tiltable Ar Designed t of boom st stands Allows tiltin | Description Focus Mount cus Mount rus Mount on Mechanism with Coarse stment using distance in vertical neter ring any of our boom stands or articulating arm stands Description E-Arm Focus Mount |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

31





DHW-20X Eyepieces - SPZ series bodies

- ► Wide Field 20x Eyepieces
- ► For SPZ Series Microscopes
- ► FN 11.4





roduct ID Description 26800B-450

DHW-20X Eyepieces - SPZ series bodies

Rubber Eye Guards

- Adds comfort
- Manufactured from stretchable rubber material
- Eliminates stray light
- Protects eyepieces



| Product ID | Description |
|------------|-----------------------------------|
| 26800B-452 | Rubber Eye Guards - DSW eyepieces |
| 26800B-453 | Rubber Eye Guards - DHW eyepieces |

Auxiliary Lens 0.5x

- Reduces magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Increases working distance and field of view 0.5x lens cannot be used with SPZ series bodies



| | Product ID | Description |
|--------------------------------|------------|---------------------|
| 26800B-461 Auxiliary Lens 0.5x | 26800B-461 | Auxiliary Lens 0.5x |

Auxiliary Lens 0.75x

- Reduces magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Increases working distance and field of view

26800B-462

| Product ID | Description |
|------------|----------------------|
| 26800B-462 | Auxiliary Lens 0.75x |
| | |

Auxiliary Lens 1.6x

- Increases magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Reduces working distance and field of view

26800B-463



26800B-461

| Product ID | Description |
|------------|---------------------|
| 26800B-463 | Auxiliary Lens 1.6x |
| | |

Auxiliary Lens 2x

- Increases magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Reduces working distance and field of view



Product ID Description 26800B-464 Auxiliary Lens 2x

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Swing Out Inspection Loupe 10x Hex

- Triplet lens system corrected for spherical and chromatic aberrations
- Produces a sharp and distortion free image
- 10x magnification

Product ID

Product ID

26011



Magniloupe w/Cushion

- Lightweight glass lens magnifier
- Soft rubber cushion provides comfor during use
- Powerful magnification

roduct ID

Eye Loupe 10x

inspectors

26041

26042

26043

Excellent for close inspection of small parts Ideal for use by jewelers, photographers, watchmakers, printers, and quality control inspectors

Description

Lightweight & sturdy glass lens magnifier

Rests comfortably in the eye socket

Excellent for close inspection of small parts

Ideal for use by jewelers, photographers,

8x Magniloupe w/Cushion

7x Magniloupe w/Cushion

4 5x Magnil oupe w/Cushion



Magnifiers

Inspection Loupes, Magnifiers & Magniloupes

Magnifiers

Eye Loupes & Pocket Microscopes

Pen Type Microscope 25x w/LED Light

▶ Perfect "pen-type" microscope with 25x magnification

Pen Type Microscope 25x w/LED Light

Pen Type Microscope 50x w/LED Light

Includes pocket clip and a bright LED light

Beveled opening to gather and focus light

Ideal for inspection in electronics, medical,

Provides distortion free inverted image

Description

printing, and jewelry industries

Perfect "pen-type" microscope with 50x magnification

- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light
- Provides distortion free inverted image
- ▶ Ideal for inspection in electronics, medical, printing, and jewelry industries

Description

Product ID

26800C-550

Product ID

26800C-551

26800C-550

Description Swing Out Inspection Loupe 10x Hex 26010

Swing Out Inspection Loupe 10x

- Made from optical glass
- ▶ 10x eye loupe with 1" working distance
- Chrome finish loupe easily folds up to protect lens
- Includes leather carrying case

26011



Swing Out Inspection Loupe 20x

- Distortion free, three piece, bonded lens Made from optical glass
- ► 20x eye loupe with 1/2" working distance Chrome finish loupe easily folds up to protect lens
- Includes leather carrying case



Product ID Description 26012 Swing Out Inspection Loupe 20x

Magnifier 10x

Product ID

26051

- Pre-focused dual lenses allow examination of objects close-up
- Transparent acrylic base permits ambient light to illuminate the object

Description

Magnifier 10x

- Powerful 10x magnification
- ▶ Ideal for model makers, stamp and coin collectors, and photography

26051



| Product ID | Description |
|------------|------------------------------|
| 6034-LED | Eye Loupe 10x with LED Light |



Performance matters more than size, as our popular Mighty Scope Digital Microscope shows.

We and our sales representatives hear manufacturing engineers praise the handheld scope's convenience for inline inspection, image and video capture, and monitor viewing via USB or the Wi-Fi model. The latest field report comes from a user who called to describe how he previously used an eye loupe with a scale-measuring reticle for parts check to assure that any defects are within tolerances.

Cleverly, he now pairs a newly purchased Mighty Scope 5M with his original tool to combine the loupe's scale with our instrument for a close-up, measurable view illuminated with six LEDs. The Mighty Scope can capture that combined image for reference and sharing.



www.aveninc.com

Product ID

26800C-553 Pen Type Microscope 50x w/LED Light & Scale

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

32

33

watchmakers, printers, and quality control

roduct ID Description 26034 Eye Loupe 10x

Powerful 10x magnification

Eye Loupe 10x with LED Light

- Lightweight glass lens magnifier
- Powerful 10x magnification
- Excellent for close inspection of small parts
- Adjustable, bright LED light
- Ideal for use by jewelers, photographers, watchmakers, printers, and quality control inspectors

26034-LED

Product ID

Pen Type Microscope 50x w/LED Light & Scale

- Perfect "pen-type" microscope with 50x magnification and includes reticle scale
- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light
- Provides distortion free inverted image

Description

Ideal for inspection in electronics, medical, printing, and jewelry industries

includes reticle scale



Pen Type Microscope 50x w/LED Light

Pen Type Microscope 25x w/LED Light & Scale

- Perfect "pen-type" microscope with 25x magnification and
- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light
- Provides distortion free inverted image
- Ideal for inspection in electronics, medical, printing, and jewelry industries

26800C-552

26800C-553

26800C-551

Description





26034

26800C-552 Pen Type Microscope 25x w/LED Light & Scale









Pocket Microscope 40x w/ illumination

- Perfect carry-with microscope with magnification of 40x Evepiece has scale with 0.1mm graduation and a
- measurement range of 4mm
- Operates on two AA batteries (not included)
- Useful for engineers, tool makers and quality control inspectors

| | 26800C-534 |
|--|--|
| Product ID | Description |
| 26800C-534 | Pocket Microscope 40x w/illumination |
| Perfect carr Eyepiece ha measureme Operates or | roscope 40x w/ illumination y-with microscope with magnification of 40x is scale with 0.05mm graduation and a int range of 2mm three AA batteries (not included) ingineers, tool makers and quality control 26800C-541 |
| Product ID | Description |
| 26800C-541 | Pocket Microscope 40x with LED illumination |

Pocket Microscope 60-100x w/LED illumination

- Perfect carry-with microscope with magnification of 60-100x
- Focus wheel allows you to quickly focus onto the object being viewed
- Operates on three LR1130 Button Cell batteries (not included)
- Useful for engineers, tool makers and quality control inspectors



26800C-542

| Product ID | Description |
|------------|---|
| 26800C-542 | Pocket Microscope 60-100x with LED illumination |



Pen Type Microscope Scale Etched into the eyepiece with graduations of 0.05mm 26800C-552 & 26800C-553

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



OptiVisor Headband Magnifiers

- Optical glass prismatic lenses ground and polished to precision optical standards
- Adjustable pivots allow the visor to be tilted out of the way when not needed and at your fingertips when you need magnification
- Adjusts to fit all head sizes
- High impact visor provides a tough, durable always-new appearance
- Padded orthopedic felt adds to comfort

Product ID Description OptiVisor Headband Magnifier - 1.5x 26101 26102 OptiVisor Headband Magnifier - 1.75x 26103 OptiVisor Headband Magnifier - 2x 26104 OptiVisor Headband Magnifier - 2.5x 26105 OptiVisor Headband Magnifier - 2.75 26106 OptiVisor Headband Magnifier - 3.5x

Replacement Lenses

Headband Magnifier

- 1.5x 3.5x Replacement Lenses
- Optical glass prismatic lenses ground and polished to precision optical standards Replacement Lens for Optivisor



26107



26113

Auxiliary Lens - 2.5x

- Attaches to the front of Optivisor headband magnifier
- Mounts on one side of the lens plate to provides an additional 2-1/2X magnification
- Pivots out of the way when not needed

Description

Auxiliary Lens - 2.5x

Product ID

26113



Headband Magnifier with LED Light

- Excellent for quality control inspection
- a free standing light source
- Includes four clip-on lenses (1.5x, 2x,
- Headband is adjustable to fit all sizes
- Ideal for close up inspection of small parts

Description

Headband Magnifier with LED Light

OptiSight Headband

Magnifier

- Visor can be worn over
- Prescription or safety glasses
- Interchangeable lenses 1.75x, 2x, 2.5x



OptiVue Headband Magnifier - 2.5x

- Provides hands-free magnification
- Visor tilts up for normal viewing
- Includes 2.5x crystal clear acrylic lens
- Adjustable headband fits any size



26225

26224

Description OptiVue Headband Magnifier - 2.5x

Register online to receive updates on the newest products and for the latest specials from Aven.

Magnifying Lamps

ProVue Lamps & Accessories

ProVue SuperSlim Magnifying Lamp

- Available in two configurations: 5-Diopter (2.25x) and 8-Diopter (3x Magnifcation)
- ▶ 5" crystal clear glass lens for 360° distortion-free viewind
- 36" spring balanced arm stays set in any position
- Heavy-duty mounting clamp with 63.5mm (2.5") opening
- Fluorescent model features 22 Watt bulb operating at 6400k
- LED models feature 60 high powered energy efficient SMD LEDs lights that provide shadow free illumination
- ▶ LED lights are rated for over 20,000 hours of use
- Unit operates at 115 VAC

| Product ID | Description | Lighting | Magnificatio |
|--------------|----------------------------|-----------------|-----------------|
| 26501-SIV | ProVue Magnifying Lamp | 22W fluorescent | 2.25x (5 diopte |
| 26501-LED | ProVue LED Magnifying Lamp | 60 SMD LED | 2.25x (5 diopte |
| 26501-LED-8D | ProVue LED Magnifying Lamp | 60 SMD LED | 3x (3 diopter) |

ProVue Magnifying Lamp LED with **Rolling Stand**

Same features as our 26501-LED except mounted on our heavy duty floor stand with casters

26501-LED-STN

Description

26501-LED-STN ProVue Magnifying Lamp LED with Rolling Stand

ProVue Deluxe Magnifying Lamp

(discontinued)

Product ID

- Available in two configurations with different lighting
- ▶ 5" 2.25x(5 diopter) crystal clear glass lens for 360° distortion free viewind
- ▶ 35" heavy duty resistive arm stays set in any position
- ▶ Heavy-duty metal mounting clamp with 63.5mm (2.5") openir Fluorescent model features 22 Watt bulb operating at
- 6400k ► LED models feature high powered energy efficient SMD LEDs lights
- provide shadow free illumination ▶ LED lights are rated for over 20,000 hours of use
- Unit operates at 115 VAC

| Product ID | Description | Lighting | Magnification |
|---------------|-------------------------------|--------------------|-------------------|
| 26501-DSG | ProVue Deluxe Magnifying Lamp | 22W fluorescent | 2.25x (5 diopter) |
| 26501-DSG-LED | ProVue Deluxe Magnifying Lamp | 45 SMD LED | 2.25x (5 diopter) |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

35



Magnifiers

Headband Magnifiers



Durable high-strength plastic











22-watt Replacement Bulb

- ▶ Replacement bulb for 26501-SIV and 26501-DSG
- Universal standard fluorescent light
- Energy efficient
- Rated lifetime of 12,000 hours

26501-B22

| Product ID | Description |
|------------|--------------------------|
| 26501-B22 | 22-watt Replacement Bulb |
| | |

ProVue Deluxe LED Magnifying Lamp

- Energy efficient 72 SMD LED board
- 5 Diopter Glass Lens
- 36" Frinction Arms. No springs, no pinch hazards
- Beautifully constructed aluminium design
- Built-in brightness control
- 3 locking joints. Stays in place in any position
- Minimum lifetime of 20,000 hours

| | 26501-DSG-LED |
|-------------|---------------|
| Description | |

Product ID 26501-DSG-LED ProVue Deluxe LED Magnifying Lamp

Auxiliary Lens - 3-Diopter (1.75x)

- Provides additional magnification
- 3.875" 1.75x (3 diopter) auxiliary lens
- Designed to attach to bottom of Aven 26501-DSG magnifying lamp

26501-AL3

| Product ID | Description |
|------------|------------------------------------|
| 26501-AL3 | Auxiliary Lens - 3-Diopter (1.75x) |

Swing-Away Lens - 5-Diopter (2.25x)

- Provides additional magnification
- ▶ 5 diopter (2.25x)
- Works with all magnifying lamps



26501-SLA

| Product ID | Description |
|------------|-------------------------------------|
| 26501-SLA | Swing-Away Lens - 5-Diopter (2.25x) |

ProVue Replacement Clamp

- ▶ Heavy-duty metal mounting clamp with 63.5mm (2.5") opening
- Mounts easily to desk or table top
- Fits ProVue magnifying lamps



26501-RC

Product ID Description 26501-RC

ProVue Replacement Clamp

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

26501

26501-LED



ProVue Touch Magnifying Lamp w/ LED Illumination

- ▶ 54 powerful energy saving white SMD LEDs provide shadow free illumination
- SMD technology ensures reliability and long life
- Large 7" crystal clear 1.75x (3 diopter) glass lens with protective cover
- ► Touch sensitive 3-stage on-off switch for controlling light intensity
- Rugged ABS plastic housing attached to a 35" industrial grade spring balance arm for precise positioning
- Lens can be easily removed and replaced when necessary
- Built-in metal grips for quick and easy positioning
- Heavy duty metal mounting clamp with 89mm (3.5") opening

ProVue Slim LED Magnifying Lamp

26508-LED

▶ LED lights are rated for over 20,000 hours of use

Description

Unit operates at 115 to 240wv VAC

Product ID

26508-LED

Magnifying Lamps

26508-LDV

ProVue Slim & Touch LED Magnifying Lamps

ProVue Touch White & UV LED Magnifying Lamp Dual lighting provides 54 powerful

- energy saving white SMD LED lights and 48 SMD UV LED lights (400nm)
- UV lighting ideal for forensic analysis, counterfit inspection and detection of fluoresces in adhesives, laminates and conformal coating
- SMD technology ensures reliability and long life
- Large 7" crystal clear 1.75x (3 diopter) glass lens with protective cover
- Touch sensitive 3-stage on-off switch for controlling light intensity
- Rugged ABS plastic housing attached to a 35" industrial grade spring balance arm for precise positioning
- Lens can be easily removed and replaced when necessary
- Built-in metal grips for guick and easy positioning
- ▶ Heavy duty metal mounting clamp with 89mm (3.5") opening
- LED lights are rated for over 20,000 hours of use
- Unit operates at 115 to 240 VAC

roduct ID Description

26508-LDV ProVue Touch White & UV LED Magnifying Lamp

Floor Stand Heavy Duty with Castors

- ▶ 5 full swivel castors for easy mobility
- Designed for durability
- Easy to clean, no maintenance required
- Provides full mobility for magnifying lamp applications in beauty salons, the medical field, electronics repair, dental clinics, industrial inspection, scientific research laboratories and even at home
- Works with all Aven magnifying lamps except the 26501-DSG and 26501-DSG-LED



Register online to receive updates on the newest products and for the latest specials from Aven.

Magnifying Lamps

Mighty Vue Lamps & Accessories

Mighty Vue Magnifying Lamp-LED

- Durable safe mar-resistant plastic housing
- Large 7" x 6" 1.75x (3 diopter) lens
- ▶ 36 high-powered energy efficient SMD LEDs provide shadow-free illumination
- ▶ 32" spring balanced arm stays put in any position
- ► Heavy-duty metal mounting clamp with 63.5mm (2.5") opening
- ▶ LED lights are rated for over 20,000 hours of use
- Unit operates at 115 VAC

Product ID Description 26505-LED Mighty Vue Magnifying Lamp-LED

Mighty Vue Magnifying Lamp LED with Rolling Stand

Same features as our 26505-LED except mounted on our heavy duty floor stand with casters

26505-LED-STN

26505-LED

26505-LED-STN Mighty Vue Magnifying Lamp LED with Rolling Stand

Description

Mighty Vue Pro Magnifying Lamp

- Available in two configurations with different magnifications
- Large 7" x 6" lens

Product ID

- Durable ESD safe mar-resistant plastic housing
- ▶ 36" spring balanced arm stays put in any position
- 26505-ESL-XL5 Heavy-duty ESD safe metal mounting clamp with 63.5mm (2.5") opening
- Color temperature ranges from 3500K-6500K
- Feature 60 high powered energy efficient SMD LEDs lights (30 per color temperature) that provide shadow free illumination
- ▶ LED lights are rated for over 20,000 hours of use
- Features Brightness Adjustment (max: 1100lm)
- Unit operates at 115 VAC

| Product ID | Description | Lighting | Magnificati |
|---------------|---|------------|---------------|
| 26505-ESL-XLe | Mighty Vue Magnifying Lamp ESD Safe (black) | 60 SMD LED | 2.25x (5 diop |
| 26505-ESL-5D | Mighty Vue Magnifying Lamp (white) | 60 SMD LED | 1.75x (3 diop |

37





AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



13940

39

Precision Screwdriver - 7-Piece Set





Aven Precision Screwdrivers

- Precisely machined hardened black tips for durability and exact fit Screwdriver blades manufactured from chrome-molybdenum steel for extra strength
- Ergonomically designed bi-component handle with swivel cap for extra comfort and grip

13901

| | | | | | Overall |
|------------|-----------------------|----------|---------|--------|---------|
| Product ID | Description | Blade | Size | Length | Length |
| 13901 | Precision Screwdriver | Slotted | 1.6mm | 50mm | 150mm |
| 13902 | Precision Screwdriver | Slotted | 2.0mm | 50mm | 150mm |
| 13903 | Precision Screwdriver | Slotted | 2.4mm | 50mm | 150mm |
| 13904 | Precision Screwdriver | Slotted | 3.0mm | 50mm | 150mm |
| 13906 | Precision Screwdriver | Slotted | 3.0mm | 100mm | 200mm |
| 13910 | Precision Screwdriver | Phillips | No. 000 | 50mm | 150mm |
| 13911 | Precision Screwdriver | Phillips | No. 00 | 50mm | 150mm |
| 13913 | Precision Screwdriver | Phillips | No. 1 | 50mm | 150mm |
| 13915 | Precision Screwdriver | Phillips | No. 1 | 100mm | 200mm |
| 13921 | Precision Screwdriver | Torx | Т6 | 50mm | 150mm |
| 13923 | Precision Screwdriver | Torx | Т8 | 50mm | 150mm |
| 13930 | Precision Nutdriver | - | M3.0 | 72mm | 172mm |
| 13932 | Precision Nutdriver | - | M4.0 | 72mm | 172mm |
| 13933 | Precision Nutdriver | - | M4.5 | 72mm | 172mm |
| 13935 | Precision Nutdriver | - | M5.5 | 72mm | 172mm |



Screwdriver features Rotative Caps Two-component construction for soft touch and non-slip surface

Precision Screwdriver - 6-Piece Set

- Environmentally friendly and recyclable materials
- Heat treated high grade allow steel blades with blackened tips



- Two-component construction for soft touch and non-
- slip surface
- Made from environmentally friendly and recyclable materials

Heat treated high grade alloy steel blades with blackened tips



| 1 | Product ID | Description |
|---|------------|-------------------------------------|
| | 13722 | Precision Screwdriver - 6-Piece Set |

Register online to receive updates on the newest products and for the latest specials from Aven.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Adjustable Wrench - Stainless Steel

- Manufactured from 304 series stainless steel
- Mirror polished to provide excellent rust resistance
- Handle hole for tethering, hanging or storage
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit

Product ID Description Adjustable Wrench 6" Stainless Steel 21190-6 21190-8 Adjustable Wrench 8" Stainless Steel 21190-10 Adjustable Wrench 10" Stainless Stee 21190-12 Adjustable Wrench 12" Stainless Steel

Adjustable Wrench - Stainless Steel w/ PVC Grip

- Manufactured from 304 series stainless steel
- Mirror polished to provide excellent
- rust resistance
- Cushion-grip handle
- Handle hole for tethering, hanging or storage

| Product ID | Description |
|------------|----------------------------------|
| 21190-6G | Adjustable Wrench 6" w/PVC Grip |
| 21190-8G | Adjustable Wrench 8" w/PVC Grip |
| 21190-10G | Adjustable Wrench 10" w/PVC Grip |
| 21190-12G | Adjustable Wrench 12" w/PVC Grip |

Combination Wrench - Stainless Steel

- Manufactured from 304 series stainless steel
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit
- Rust resistant, can help eliminate risk of ferrous contamination

| Product ID | Description |
|------------|--|
| 21187-0516 | Combination Wrench Stainless Steel 5/16" |
| 21187-0308 | Combination Wrench Stainless Steel 3/8" |
| 21187-0716 | Combination Wrench Stainless Steel 7/16" |
| 21187-0102 | Combination Wrench Stainless Steel 1/2" |
| 21187-0916 | Combination Wrench Stainless Steel 9/16" |
| 21187-0508 | Combination Wrench Stainless Steel 5/8" |

Combination Wrench - Stainless Steel -

6-Piece Set

- Made from 304 series stainless stee
- Can be autoclaved to temperature degrees Fahrenheit
- Rust resistant, can help eliminate contamination
- Includes handy roll up plastic pour

Product ID Description 21187-105 Combination Wrench Set Stainless Steel 6pc

| eel es up to 250 🧹 | 1111 |
|-----------------------|-----------|
| risk of ferrous | |
| ıch | 21187-105 |
| | |

Hand Tools

10355

10355-ER

10766

10365

Stainless Steel Wrenches, Cutters & Pliers

Diagonal Cutter - Stainless Steel 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Oval head designed for greater access in confined spaces
- Beveled cutting edge is hardened for
- long lasting performance Can be autoclaved to temperatures up to 250 degrees
- Fahrenheit

Product ID Description Diagonal Cutter - Stainless Steel 6" 10355

Diagonal Cutter w/Comfort Grip Handles 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Oval head designed for greater access in confined spaces
- Beveled cutting edge is hardened for long lasting performance
- Ergonomically designed grips for extra comfort

Product ID Description

Diagonal Cutter w/Comfort Grip Handles 6" 0355-ER

Diagonal Cutter "High Leverage" Stainless Steel 7"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust
- resistance
- Provides more cutting power than general purpose pliers
- Beveled cutting edge is hardened for long lasting 10356 performance
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit

Product ID Description

10356 Diagonal Cutter "High Leverage" Stainless Steel 7"

Flat Nose Parallel Action Pliers 6.75'

- Serrated Jaws with V-Slot for holding wire
- Grip remains consistently parallel along length of jaw when open or closed
- Compound lever action with no
- spring Built-in wire cutter cuts soft wire up
- to 4mm (0.16")

Product ID Description

Flat Nose Parallel Action Pliers 6.75" 10766

Groove Joint Pliers Stainless Steel 9.5"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust
- resistance Slip-resistant tongue and groove
- design used for grasping and
- turnina
- Serrated jaws with four adjustable positions
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit

roduct ID Description

0365 Groove Joint Pliers Stainless Steel 9.5"

Hand Tools

Stainless Steel Pliers

Combination Pliers Stainless Steel 8"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Tapered head design allows for greater access in confined spaces
- Designed for gripping and turning round objects such as pipes, rods and pins
- Serrated jaws with machined gripping teeth and wire cutter

Product ID Description Combination Pliers Stainless Steel 8" 10351 Combination Pliers w/Plastic Grips 8"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Tapered head design allows for greater access in confined spaces
- Designed for gripping and turning round objects such as pipes, rods and ping
- Serrated jaws with machined gripping teeth and wire cutter

| Description | |
|---|--|
| Combination Pliers w/Plastic Handles 8" | |
| Pliers Stainless Steel 6" | |
| hed to provide excellent rust resistance slim design are ideal for tight | |
| | 10360 |
| Description | |
| Long Nose Pliers Stainless Steel 6" | |
| Pliers w/Comfort Grip Handles 6" | |
| hed to provide excellent rust resistance slim design are ideal for tight | and the second s |
| , | 10360-E |
| Description | |
| | |
| | Combination Pliers w/Plastic Handles 8" Pliers Stainless Steel 6" red from 400 series stainless steel hed to provide excellent rust resistance slim design are ideal for tight ws with machined eth and wire Description |

Set includes: 6" long-nose pliers, 6" slip-joint pliers, 6" wire-cutting pliers, 9-1/2" groove-joint pliers with flat jaws, and an 8" combination pliers

Description Pliers Set Stainless Steel

10381

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Product ID

10381

41

21190-6

21190-10G

21187-0516



Slip Joint Pliers Stainless Steel 6.5"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance All purpose pliers with serrated jaws,
- built-in wire cutter and pipe grip

10351

10351-P





Trigger release handles and easy turning pressure adjusting screw

| Product ID | Description |
|------------|---|
| 10377 | Locking Pliers, Long Nose, Stainless Steel 6" |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Crimping Tool for Wire Ferrules

- For use with 22 to 6 AWG wire
- Replaceable dies

Product ID

10178

10179

etc.

Product ID

11080

- Built in ratchet applies correct pressure to ensure a complete crimp Durable steel construction and hardened
- dies to ensure reliability and longevity

Description

Notched blades prevent the material to be

cabtire or insulated cords etc. firmly in place

Stainless Steel with blade hardness of HRC 54

Description

2-in-1 Combination Scissor

Gives you a fine flush cut

from slipping

ABS grips make this tool comfortable and easy to use

Crimping Tool for Wire Ferrules 12 to 22 AWG

Crimping Tool for Wire Ferrules 6 to 10 AWG

U-types notches on the blade allows you to hold items such as copper wire,

Easily trim materials such as nylon fiber, cabtire cord, Kevlar

Crimping Tools & Scissors

4-1/2" Slim Blade Straight Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Precision scissor for cutting fine wire and general use
- ▶ 1-1/4" durable stainless steel blade

Product ID Description

11014 4-1/2" Slim Blade Straight Scissor

4-1/2" Precision Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Fine beaks for precise and delicate work

roduct ID Description

11016 4-1/2" Precision Scissor

7" All Purpose Standard Scissor

Fully polished stainless steel provides excellent corrosion resistance

7" All Purpose Standard Scissor

Fully polished stainless steel provides excellent corrosion

8" All Purpose Standard Scissor

Register online to receive

updates on the newest

products and for the latest

specials from Aven.

► 3-1/4" durable stainless steel blade

Description

8" All Purpose Standard Scissor

Description

▶ 3-3/4" durable stainless steel blade

Product ID

resistance

oduct ID

1023

11022

2-in-1 Heavy-Duty Combination Scissor

2-in-1 Combination Scissor

- Easily trim materials such as nylon fiber, cabtire cord, Kevlar
- Simm thick blade gives you a fine flush cut
- Notched blades prevent the material to be trimmed from slipping
- U-types notches on the blade allows you to hold items such as copper wire, cabtire or insulated cords etc. firmly in place
- Stainless Steel with blade hardness of HRC 56-60

| Product ID | Description |
|------------|---------------------------------------|
| 11081 | 2-in-1 Heavy-Duty Combination Scissor |

5" Electrician Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Scraper and file on back edge of the blade
- Notched to strip 23 to 19 AWG wire

| Product ID | Description |
|------------|------------------------|
| 11012 | 5" Electrician Scissor |

- ▶ 1-3/8" durable stainless steel blade
- 11016



11022

11023

20037

Probe Double End Bent/Curved

- Made from 400 series stainless steel

20039

Stainless Steel Probe 4-piece Set

| Product ID | Description |
|------------|-----------------------------------|
| 20210 | Stainless Steel Probe 4-piece Set |

43

Hand Tools S

11014

Hemostats & Probes

Probe Straight Needle Point Made from 400 series stainless steel 20031 Sharp tip for precision work around delicate circuits and components Eight sided handle to ensure grip and prevent rolling Description Product ID Probe Straight Needle Point 20031 **Probe Bent Needle Point** Made from 400 series stainless steel Sharp tip for precision work around delicate 20032 circuits and components Eight sided handle to ensure grip and prevent rolling Product ID Description Probe Bent Needle Point - 90 degree bent point 20032 Probe Curved Needle Point ▶ Made from 400 series stainless steel Sharp tip for precision work around delicate 20034 circuits and components Eight sided handle to ensure grip and prevent rolling Product ID Description Probe Curved Needle Point 20034 Probe Double Sided Scraper Bent Tips Made from 400 series stainless steel Sharp tip for precision work around delicate 20035 circuits and components Product ID Description Probe Double Sided Scraper Bent Tips 20035 Probe Double Sided Scraper Angled/Curved Made from 400 series stainless steel Sharp tip for precision work around delicate 20037 circuits and components Product ID Description Probe Double Sided Scraper Angled/Curved Sharp tip for precision work around delicate circuits and components Product ID Description Probe Double End Bent/Curved 20039 Made from 400 series stainless steel Sharp tip for precision work around delicate 20210 circuits and components Set of four contains: Straight, Bent, Curved and Angled Models



trimmed 11080

11081

11012



12201

12001

spaces 12002

Alligator Clamp

- Serrated jaws for secure grip
- Angled to provide maximum view
- Stainless steel construction
- Designed to securely retrieve and hold small parts

| Product ID | Description | Jaw Length | Opening |
|------------|----------------------|------------|---------|
| 12201 | Alligator Clamp 3.5" | 0.5" | 0.25" |
| 12202 | Alligator Clamp 5.5" | 0.5" | 0.25" |

Hemostat - Straight

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent corrosion resistance
- Serrated jaws hold objects firmly without cutting them
- Designed for intricate work in tight spaces
- Ratchet lock in handle allows varying gripping pressure

| Product ID | Description | Jaw Length |
|------------|---|------------|
| 12001 | Hemostat - Straight 3.5in | 20mm |
| 12015 | Hemostat - Straight 5in | 25.4mm |
| 12011 | Hemostat - Straight 5in w/Plastic Coated Handle | 25.4mm |
| 12017 | Hemostat - Straight 6in | 31.75mm |
| 12013 | Hemostat - Straight 6in w/Plastic Coated Handle | 31.75mm |
| 12019 | Hemostat - Straight 8in | 60mm |
| 12021 | Hemostat - Straight 16in | 127mm |
| 12030 | Hemostat - Straight 18in | 139mm |
| 12032 | Hemostat - Straight 24in | 155mm |

Hemostat - Curved

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent corrosion resistance
- Serrated jaws hold objects firmly without cutting
- then
- Designed for intricate work in tight
- Ratchet lock in handle allows varying gripping pressure

| Product ID | Description | Jaw Length |
|------------|---|------------|
| 12002 | Hemostat - Curved 3.5in | 20mm |
| 12016 | Hemostat - Curved 5in | 25.4mm |
| 12012 | Hemostat - Curved 5in w/Plastic Coated Handle | 25.4mm |
| 12018 | Hemostat - Curved 6in | 31.75mm |
| 12014 | Hemostat - Curved 6in w/Plastic Coated Handle | 31.75mm |
| 12020 | Hemostat - Curved 8in | 60mm |
| 12022 | Hemostat - Curved 16in | 127mm |
| 12031 | Hemostat - Curved 18in | 139mm |
| 12033 | Hemostat - Curved 24in | 155mm |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Technik K-18 Grip-On Non-Roll Soft Handle Knife

- ▶ 5-inch comfortable soft grip handle
- Four jaw machined aluminum chuck for secure blade positioning
- Includes a super sharp #11 blade and clear plastic safety cap
- Ideal for cutting or trimming plastic, wood, paper, cloth and film

| Product ID | Description | Blade Size |
|------------|---|------------|
| 44011 | Technik K-18 Grip-On Non-Roll Soft Handle Knife | #11 |
| | | |

Technik K-1 Precision Light Duty Knife

- ▶ 4-3/4-inch aluminum handle
- ▶ 4-slot point chuck for easy blade release Includes a super sharp #11 blade and a high impact
- safety cap
- ▶ Ideal for precision cutting, forming and stripping of paper, plastic, wood, cloth and film
- ▶ Fits replacement blades #10, 11, 16, 17

| Product ID | Description | Blade Size |
|------------|--|------------|
| 44012 | Technik K-1 Precision Light Duty Knife | #11 |

Technik K-2 Medium Duty Knife

- ► 4-3/4-inch aluminum handle
- ► 4-slot point chuck for easy blade release
- Includes a super sharp #22 blade and a high impact safety cap
- Ideal for precision cutting, trimming and stripping paper, plastic, wood, cloth and film
- Fits replacement blades #2, 18, 19, 22, 23, 24, 25, 26, 27, 28

Hand Tools

Precision Knives & Blades

44016

44017

44018

Technik K-10 Plastic Snap Blade Knife

- 13-Point snap off blade in a strong plastic track
- Plastic auto-lock handle

44011

44012

44013

44014

44015

- Ideal for home, office, or industrial use cutting paper, plastic, wood and other items
- Fits replacement blades 44256, K-10 Replacement Blade (100/pk)

roduct ID Description

| 44016 | Technik K-10 Plastic Snap Blade Knife | |
|------------|---------------------------------------|--|
| Technik K- | 13 Heavy Duty Snap Blade Knife | |

- 7-Point deluxe snap off blade in a strong plastic track
- Plastic auto-lock handle
- Ideal for home, office, or industrial use cutting paper, plastic, wood and other items Fits replacement blades 44254, K-13
- Replacement Blade (100/pk)

roduct ID Description Technik K-13 Heavy Duty Snap Blade Knife 44017

Technik K-40 Pocket Clip Light Duty Utility Knife

- Multi-purpose precision knife is ideal for cutting and trimming
- Unique twist lock pocket clip safety cap
- Machined aluminum 4 jaw chuck for tight secure blade
- housing Comfortable ridged tapered plastic handle
- Fits replacement blades #10, 11, 16, 17

Contains K1, K2, K5 knife handles

Includes a Teflon covered magnetic strip to

help in holding the blades securely

Description

Technik Knife Set

Organized in convenient plastic tray

- Super sharp #11 blade



Technik Knife Set

13 assorted blades

13 assorted blades

roduct ID

44101

44102

Technik K-5 Heavy Duty Knife

▶ 7/16-inch aluminum adapter

Product ID

44013

- ▶ 4-slot point chuck for easy blade release
- Includes a #19 sharp edge angled blade and a snug fitting plastic safety cap
- Ideal for precision cutting, trimming and stripping paper, plastic, and wood
- Fits replacement blades #2, 18, 19, 22, 23, 24, 25, 26, 27, 28

| Product ID | Description | Blade Size |
|------------|------------------------------|------------|
| 44014 | Technik K-5 Heavy Duty Knife | #19 |

Technik K-8 Flat Handle Light Duty Knife

- Sleek long handle design with a sharp utility blade
- Both ends of the blade can be used for cutting

Description

Blade can be adjusted easily

Product ID

44015

Ideal for cutting boxes, wood, leather and foam Fits replacement blades 44257, K-8 Replacement Blade (5/pk)

Technik K-8 Flat Handle Light Duty Knife

Technik Deluxe Knife Set Contains K1, K2, K5 knife handles Includes a Teflon covered magnetic strip to help in holding the blades securely

Securely organized in a deluxe wood box

44102

Description roduct ID Technik Deluxe Knife Set

Hand Tools

Precision Knives & Blades

Scalpel Blade Handle Plastic #3

- ▶ #3 size handle is designed to fit blade styles #10, 11, 12, & 15
- Makes loading blades easy
- Perfectly balanced and precision machined plastic
- Fluted finger grips

| Product ID | Description |
|------------|---------------------------------|
| 44030 | Scalpel Blade Handle Plastic #3 |

Scalpel Blade Handle Stainless Steel #3

- ▶ #3 size handle is designed to fit blade styles #10, 11, 12, & 15
- Makes loading blades easy
- Perfectly balanced and precision
- machined stainless steel Fluted finger grips

Product ID Description

44031 Scalpel Blade Handle Stainless Steel #3

Scalpel Blade Handle Plastic #4

- ▶ #4 size handle is specifically designed to fit #23 blade style
- Makes loading blades easy
- Perfectly balanced and precision machined plastic
- Fluted finger grips

44032

| Product ID | Description |
|------------|---------------------------------|
| 44032 | Scalpel Blade Handle Plastic #4 |

Scalpel Blade Handle Stainless Steel #4

- ▶ #4 size handle is specifically designed to fit #23 blade style
- Makes loading blades easy
- Perfectly balanced and precision machined stainless steel Fluted finger grips

Product ID Description 44033 Scalpel Blade Handle Stainless Steel #4

Scalpel Blades

- Made from surgical quality non-sterile .015" thick stainless steel
- Very sharp, precise and durable blade generally used for precision cutting in micro circuitry, photography, art, etc.
- Can be used with a plastic or stainless steel handle
- Contains two pieces per tube

| Product ID | Description | Blade Type |
|------------|-------------------|--|
| 44041 | Scalpel Blade #10 | Curved cutting edge |
| 44042 | Scalpel Blade #11 | Elongated triangular cutting edge |
| 44043 | Scalpel Blade #12 | Small, pointed, crescent shaped cutting edge |
| 44044 | Scalpel Blade #15 | Small curved cutting edge |
| 44045 | Scalpel Blade #23 | Rounded "leaf shaped" cutting edge |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

ΔΔ

45



44033









44030

44031



#22

#11

















| Product ID | Description | Product ID | Description |
|------------|--|------------|-----------------------|
| 44201 | No. 2 Blade (5/pk) | 44216 | No. 18 Blade (100/pk) |
| 44202 | No. 2 Blade (100/pk) | 44217 | No. 19 Blade (5/pk) |
| 44203 | No. 10 Blade (5/pk) | 44218 | No. 19 Blade (100/pk) |
| 44204 | No. 10 Blade (100/pk) | 44221 | No. 22 Blade (5/pk) |
| 44205 | No. 11 Blade (5/pk) | 44222 | No. 22 Blade (100/pk) |
| 442055 | No. 11 Stainless Steel Blade | 44223 | No. 23 Blade (5/pk) |
| | (5/pk) | 44224 | No. 23 Blade (100/pk) |
| 44206 | No. 11 Blade (100/pk) | 44225 | No. 24 Blade (5/pk) |
| 442065 | No. 11 Stainless Steel Blade (100/pk) | 44226 | No. 24 Blade (100/pk) |
| 44211 | No. 16 Blade (5/pk) | 44227 | No. 25 Blade (5/pk) |
| 44212 | No. 16 Blade (100/pk) | 44228 | No. 25 Blade (100/pk) |
| 44213 | No. 17 Blade (5/pk) | 44229 | No. 26 Blade (5/pk) |
| 44214 | No. 17 Blade (100/pk) | 44230 | No. 27 Blade (5/pk) |
| 44215 | No. 18 Blade (5/pk) | 44231 | No. 28 Blade (5/pk) |

K-8, K-10 & K-13 Replacement Blades

- Snap off replacement blades
- Replacement blade for Technik K-8, Technik K-10, and Technik K-13 knives
- ► Ideal for home, office, or industrial use cutting paper, plastic, wood and other items



| Product ID | Description |
|------------|---------------------------------|
| 44254 | K-13 Replacement Blade (100/pk) |
| 44256 | K-10 Replacement Blade (100/pk) |
| 44257 | K-8 Replacement Blade (5/pk) |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Accu-Cut Oval Head Cutter

- ▶ This popular shape can be used for many applications
- ESD Safe Ergonomic Grips for superior comfort
- Robust oval head designed for durability

| Product ID | Description | Cutting Edge | Capacity |
|------------|---------------------------|--------------|-------------|
| 108215 | Accu-Cut Oval Head Cutter | Semi-Flush | 0.2-1.25mm |
| 10821F | Accu-Cut Oval Head Cutter | Flush | 0.15-1.25mm |

Accu-Cut Oval Relief Head Cutter

- ▶ This popular shape can be used for many applications
- Relieved head allows easier access in tight confined areas
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

| Product ID | Description | Cutting Edge | Capacity |
|------------|----------------------------------|--------------|------------|
| 108225 | Accu-Cut Oval Relief Head Cutter | Semi-Flush | 0.2-1.2mm |
| 10822F | Accu-Cut Oval Relief Head Cutter | Flush | 0.15-1.1mm |

Accu-Cut Large Oval Head Cutter

- > 25% larger than our standard oval head cutters
- Larger cutting capacity
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

| Product ID | Description | Cutting Edge | Capacity |
|------------|---------------------------------|--------------|------------|
| 108235 | Accu-Cut Large Oval Head Cutter | Semi-Flush | 0.2-1.5mm |
| 10823F | Accu-Cut Large Oval Head Cutter | Flush | 0.15-1.5mm |
| 10823R | Accu-Cut Large Oval Head Cutter | Razor Flush® | 0.15-1.3mm |

Register online to receive updates on the newest products and for the latest specials from Aven.

Precision Cutters & Pliers

Accu-Cut XL Oval Head Cutter

- Extra large oval head for cutting heavy duty wire
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

108215

10822F

108235

| | | | 106293 |
|------------|------------------------------|--------------|----------|
| Product ID | Description | Cutting Edge | Capacity |
| 108295 | Accu-Cut XL Oval Head Cutter | Semi-Flush | 0.4-2mm |
| 10829F | Accu-Cut XL Oval Head Cutter | Flush | 0.3-2mm |

Accu-Cut Mini Oval Head Cutter

- Miniature oval head for fine cutting work
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

| Product ID | Description | Cutting Edge | Capacity |
|------------|--------------------------------|--------------|------------|
| 108275 | Accu-Cut Mini Oval Head Cutter | Semi-Flush | 0.2-1.25mm |
| 10827F | Accu-Cut Mini Oval Head Cutter | Flush | 0.1-0.9mm |

Accu-Cut Tapered Head Cutter

- Pointed head allows for increased access in tight areas
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

10825S

10020

10828S

100200

10827F

| Product ID | Description | Cutting Edge | Capacity |
|------------|------------------------------|--------------|-------------|
| 108255 | Accu-Cut Tapered Head Cutter | Semi-Flush | 0.2-1.25mm |
| 10825F | Accu-Cut Tapered Head Cutter | Flush | 0.15-1.25mm |

- Pointed head with relief allows for increased access in tight areas
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

| | | 10 | J820F |
|------------|-------------------------------------|--------------|------------|
| Product ID | Description | Cutting Edge | Capacity |
| 108265 | Accu-Cut Tapered Relief Head Cutter | Semi-Flush | 0.2-1.15mm |
| 10826F | Accu-Cut Tapered Relief Head Cutter | Flush | 0.1-1.05mm |

Accu-Cut Mini Tapered Relief Cutter

- Miniature tapered head with relief for exceptionally fine cutting work
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

| Product ID | Description | Cutting Edge | Capacity |
|------------|-------------------------------------|--------------|-----------|
| 108285 | Accu-Cut Mini Tapered Relief Cutter | Semi-Flush | 0.2-1.1mm |
| 10828F | Accu-Cut Mini Tapered Relief Cutter | Flush | 0.1-1mm |

Precision Cutters & Pliers

10321

10322

10332

5mm

Technik Stainless Steel Pliers and Cutters

Oval Head Cutter 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Cutting Edge | Capaci |
|------------|-------------------------------|--------------|----------|
| 10321* | Oval Head Cutter 114mm (4.5") | Semi-Flush | 0.2-1.25 |
| 10323 | Oval Head Cutter 114mm (4.5") | Flush | 0.15-1.2 |

Oval Head Cutter Large 127mm (5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Cutting Edge | Capacity |
|------------|-----------------------------------|--------------|------------|
| 10322 | Oval Head Cutter Large 127mm (5") | Semi-Flush | 0.2-1.5mm |
| 10324 | Oval Head Cutter Large 127mm (5") | Flush | 0.15-1.5mm |

Mini Oval Head Cutter 110mm (4.3")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Cutting Edge | Capacity | | | | | |
|---|--|-----------------------|-------------|--|---|--------------------------------|------------------|------------------------|
| 10332 | Mini Oval Head Cutter 110mm (4.3") | Flush | 0.1-1.25mm | Product ID | Description | Cutti | ng Edge | Capacity |
| Tapered H | lead Cutter 114mm (4.5") | | | 10327* | End Cutter 114mm (4.5") | Semi- | Flush | 0.2-1.25mn |
| Manufact Induction Dual leaf ESD Safe Box Joint | ured from 400 series stainless steel hardened jaws | 10325 Cutting Edge | Capacity | Manufact Induction Dual leaf ESD Safe Box Joint alignmen | cushioned grips construction provides superior at and durability | steel | 10328 | |
| 10325 | Tapered Head Cutter 114mm (4.5") | Semi-Flush | 0.2-1.25mm | Designed to cut close to the surface Oblique tip can be used for fine wire cutting | | | | |
| 10326 | Tapered Head Cutter 114mm (4.5") | Flush | 0.15-1.25mm | | | 5 | | |
| Manufact | Relief Cutter 114mm (4.5") ured from 400 series stainless steel hardened jaws springs | 1 | | | Description Oblique Head Cutter 114mm (4.5") Description Oblique Head Cutter 114mm (4.5") Description | ^{Semi-} mm (4.75") | ng Edge Flush | Capacity 0.2-1.25mn |
| Box Joint | cushioned grips construction provides superior ment and durability | 10329 | | Dual leaf ESD Safe Box Joint | n hardened jaws springs cushioned grips construction provides superior nt and durability | r jaw | 10315 | |
| Product ID | Description | Cutting Edge | Capacity | angrimer | it and durability | | | |
| 10329 | Tapered Relief Cutter 114mm (4.5") | Flush | 0.1-1.05mm | Product ID | Description | Jaw Length | Tip Width | Jaw Typ |
| IOTE: Produc | t ID's with * included in 10600A Precisi | on Stainless Steel | Pliers Set. | 10315* | Long Nose Pliers w/cutter | 26.4mm | 1.8mm | Serrated |

| Product ID | Description | Cutting Edge | Capacity | | | | | |
|---|---|-----------------------|------------------------|---|--|-----------|----------|------------|
| 10332 | Mini Oval Head Cutter 110mm (4.3") | Flush | 0.1-1.25mm | Product ID | Description | Cutti | ng Edge | Capacity |
| apered I | Head Cutter 114mm (4.5") | | | 10327* | End Cutter 114mm (4.5") | Semi- | Flush | 0.2-1.25mr |
| Induction Dual leaf ESD Safe Box Joint | tured from 400 series stainless steel n hardened jaws springs cushioned grips construction provides superior jaw nt and durability | 10325 | | Manufact Induction Dual leaf ESD Safe | lead Cutter 114mm (4, ured from 400 series stainless s hardened jaws springs cushioned grips construction provides superior | teel | 10328 | |
| Product ID | Description | Cutting Edge | Capacity | alignment and durability Designed to cut close to the surface Oblique tip can be used for fine wire cutting | | | | |
| 10325 | Tapered Head Cutter 114mm (4.5") | Semi-Flush | 0.2-1.25mm | | | | | |
| 10326 | Tapered Head Cutter 114mm (4.5") | Flush | 0.15-1.25mm | Product ID | Description | Cutti | ng Edge | Capacity |
| apered F | Relief Cutter 114mm (4.5") | | | 10328 | Oblique Head Cutter 114mm (4.5") | Semi- | <u> </u> | 0.2-1.25m |
| Induction | tured from 400 series stainless steel า hardened jaws | 2 | | Long Nos | e Pliers w/cutter 120.5 | mm(4.75") | | |
| ESD SafeBox Joint | springs cushioned grips construction provides superior ment and durability | 10329 | | Induction Dual leaf ESD Safe | ured from 400 series stainless s hardened jaws | teel | 10315 | |
| ESD Safe Box Joint jaw align | cushioned grips construction provides superior | 10329 Cutting Edge | Capacity | Induction Dual leaf ESD Safe Box Joint | ured from 400 series stainless s I hardened jaws springs cushioned grips | teel | 10315 | |
| ESD SafeBox Joint | cushioned grips construction provides superior ment and durability | | Capacity 0.1-1.05mm | Induction Dual leaf ESD Safe Box Joint | ured from 400 series stainless s hardened jaws springs cushioned grips construction provides superior | teel | 10315 | Jaw Typ |

47

Accu-Cut Tapered Relief Head Cutter



10331

10330

10327

| Mini Tapered Head | Cutter 110mm (4.3") |
|-------------------|---------------------|
| | |

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| | Product ID | Description | Cutting Edge | Capacity |
|--|------------|---------------------------------------|--------------|------------|
| | 10331 | Mini Tapered Head Cutter 110mm (4.3") | Flush | 0.1-1.25mm |
| | Tip Cutter | 114mm (4.5") | | |

- Tip Cutter 114mm (4.5")
- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability
- Tip cutter with deep relief and low profile

| Product ID | Description | Cutting Edge | Capacity |
|------------|-------------------------|--------------|------------|
| 10330 | Tip Cutter 114mm (4.5") | Flush | 0.1-1.05mm |

End Cutter 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability
- Designed to cut close to the surface leaving smooth surface behind

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Chain Nose Pliers 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|--------------------------------|------------|-----------|----------|
| 10301* | Chain Nose Pliers 114mm (4.5") | 23.6mm | 1.8mm | Smooth |
| 10307 | Chain Nose Pliers 114mm (4.5") | 23.6mm | 1.8mm | Serrated |

Chain Nose Pliers 127mm (5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|------------------------------|------------|-----------|----------|
| 10302 | Chain Nose Pliers 127mm (5") | 26.6mm | 1.8mm | Smooth |
| 10308 | Chain Nose Pliers 127mm (5") | 26.6mm | 1.8mm | Serrated |
| 10311 | Chain Nose Pliers 127mm (5") | 37.4mm | 1.8mm | Smooth |
| 103115 | Chain Nose Pliers 127mm (5") | 37.4mm | 1.8mm | Serrated |

Chain Nose Pliers 152mm (6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|------------------------------|------------|-----------|----------|
| 10333 | Chain Nose Pliers 152mm (6") | 38.8mm | 2mm | Serrated |
| _ | | | | |

Flat Nose Pliers 114mm - 152mm (4.5" - 6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|-------------------------------|------------|-----------|----------|
| 10303* | Flat Nose Pliers 114mm (4.5") | 23.6mm | 3.2mm | Smooth |
| 10304 | Flat Nose Pliers 127mm (5") | 29.9mm | 5.87mm | Smooth |
| 10335 | Flat Nose Pliers 152mm (6") | 42mm | 5.3mm | Smooth |

Round Nose Pliers 114mm - 127mm (4.5 - 5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips Box Joint construction provides superior jaw 10305 alignment and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|--------------------------------|------------|-----------|----------|
| 10305 | Round Nose Pliers 114mm (4.5") | 21.3mm | 1.14mm | Smooth |
| 10306 | Round Nose Pliers 127mm (5") | 23.6mm | 1.14mm | Smooth |

Precision Cutters & Pliers

Technik Stainless Steel Pliers and Cutters

10310

10314

10600A

Bent Nose Pliers 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|-------------------------------|------------|-----------|----------|
| 10309 | Bent Nose Pliers 114mm (4.5") | 22.8mm | 1.5mm | Smooth |
| 10310 | Bent Nose Pliers 114mm (4.5") | 22.8mm | 1.5mm | Serrated |

Bent Nose Pliers 152mm (6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- 10313 Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|-----------------------------|------------|-----------|----------|
| 10313 | Bent Nose Pliers 152mm (6") | 40.6mm | 2mm | Smooth |

Needle Nose Pliers 146mm (5.75")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips

Box Joint construction provides superior jaw alignment and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|--------------------|------------|-----------|----------|
| 10314* | Needle Nose Pliers | 49mm | 1.5mm | Serrated |

Needle Nose Pliers Curved 152mm (6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips Box Joint construction provides superior jaw alignment 10953 and durability

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|---------------------------|------------|-----------|----------|
| 10953 | Needle Nose Pliers Curved | 31.2mm | 1.3mm | Serrated |

Precision Stainless Steel Pliers Set 6pc

- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Manufactured from 400 series stainless steel
- Box Joint construction provides superior jaw alignment and durability
- Set includes: Technik Stainless Steel Pliers & Cutters - 10301, 10303, 10314, 10315, 10321, 10327
- ▶ Tools come with a handy leatherette pouch

Product ID Description

Needle Nose Pliers Curved 10600A

NOTE: Product ID's with * included in 10600A Precision Stainless Steel Pliers Set.

Precision Cutters & Pliers

Niptec Cutters & Parallel Action Pliers

Niptec TR 5000 Cutter

- Durable 5mm thick blades
- Compact ergonomic design
- Semi-flush cutting edge
- For use on copper wire up to 12 AWG ESD Safe grips make tool comfortable and easy to use

| Product ID | Description | Cutting Edg |
|--|---|----------------|
| 10501 | Niptec TR 5000 Cutter | Semi-Flush |
| Durable 5r | 5000PG Cutter mm thick blades ergonomic design ng edge | and a |
| Flush cuttiFor use on | ng edge copper wire up to 16 AWG rips make tool comfortable and easy to use | 10503 |
| Product ID | Description | Cutting Edg |
| 10503 | Niptec TR 5000PG Cutter | Flush |
| ESD Safe g easy to use Compact e Flush cutti | copper wire up to 18 AWG rips make tool comfortable and e ergonomic design | 10521 |
| Product ID | Description | Cutting Edg |
| 10521 | Niptec TR 25 Cutter | Flush |
| For use on | 25-E Cutter copper wire up to 18 AWG | and the second |
| easy to useCompact eFlush cutti | ergonomic design | 10521EC |
| Product ID | Description | Cutting Edg |
| 10521EC | Niptec TR 25-E Cutter | Flush |
| ESD Safe g | 20 50M Cutter rips make tool comfortable and easy to use | and a |
| Flush cuttiSmall cutti | | 10525 |
| Product ID | Description | Cutting Edg |
| 10525 | Niptec TR 20 50M Cutter | Flush |
| Compact e | 20 TM Cutter ergonomic design ng edge | (d) and the |

- ush cutting eage
- For use on copper wire up to 22 AWG
- Designed specifically for cutting integrated circuit pins ESD Safe grips make tool comfortable and easy to use
- ► Narrow cutting head angled at 45° for access into dense areas
- Product ID Description Cutting Edge Niptec TR 20 TM Cutter Flush 10526

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

48

49



10333

10335

10301





10501

10526



| Compact ESD Safe g easy to us For use or | 20M Cutter ergonomic design grips make tool comfortabl e n copper wire up to 20 AWC ing head angled at 21° for | | 10527 ces |
|--|--|------------------------------------|---------------|
| Product ID | Description | | Cutting E |
| 10527B | Niptec TR 20M Cutter | | Flush |
| Grip rema when ope Smooth, s like grip Compoun Compact, | Ilel Action 5" Snipe ins consistently parallel alo in or closed nipe profile jaws offer squa d lever action with no sprin ergonomic design ted handles with jaws mad | ng full length of jaw rre vice- | 10753 |
| Product ID | Description | Ma | x Open Jaw Le |
| 10753 | Pliers Parallel Action 5" Snipe Nos | e 10m | nm 25mm |
| Grip rema length of Compound | Pliers 8" aws with V-Slot for holding ins consistently parallel alc jaw when open or closed d lever action with no sprin ted handles with jaws mad | ng full | 10756 |

| Product ID | Description | | Max Open | Jaw Length |
|---|---|---|----------|------------|
| 10756 | Flat Nose Pliers 8" | | 17mm | 41mm |
| Serrated JCompound | Pliers w/Wire Cutters 5" aws with V-Slot for holding wire d lever action with no spring ted handles with jaws made of steel | 4 | 0.00 | 10761 |

- ▶ Built-in wire cutter cuts soft wire up to 2.5mm (0.1")
- Grip remains consistently parallel along full length of jaw when open or closed

| Product ID | Description | Max Open | Jaw Length |
|---|---|---------------------------|---------------------------------------|
| 10761 | Flat Nose Pliers 8" | 17mm | 35mm |
| Serrated Grip rem length of Compou Cushion- | Pliers w/Wire Cutters 8" Jaws with V-Slot for holding wire ains consistently parallel along full f jaw when open or closed nd lever action with no spring grip handles with jaws made of hardene vire cutter cuts soft wire up to 6mm (0.24 | | 10764 |
| Product ID | Description | Max Open | Jaw Length |
| 10764 | Flat Nose Pliers w/Wire Cutters 8" | 17mm | 41mm |
| | <u> </u> | | · · · · · · · · · · · · · · · · · · · |
| Compou cutting a Compou force wh Durable, 2mm | Cutter Compound Action 6.5 nd lever action handles give you more poind gripping nd lever action handles require less en cutting semi-flush cutting jaw will cut piano wire nic design provides extra comfort and eas | ower for 10 e up to | 754 |
| Compou cutting a Compou force wh Durable, 2mm | nd lever action handles give you more poind gripping nd gripping nd lever action handles require less en cutting semi-flush cutting jaw will cut piano wire | ower for 10 e up to | 754 Jaw Length |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Tweezers

Choosing the Correct Tweezer

Aven offers a wide variety of tweezers to meet a broad range of applications and 2 different quality grades.

In order to choose the best tool for your application:

- 1. Determine the type of points best suited for your application.
- 2. Refer to the material guide below and select the correct material for your application.
- 3. Determine the quality level required for your application if applicable. (Table 1)

Special Coatings (Available on non-magnetic stainless steel only)

TE - Teflon Superior anti-scratch, non-stick material. Acid resistant. 400°F/200°C

EP - Epoxy Good electrical insulation and resistance to chemicals. Antiglare. 300°F/150°C

* To order tweezers with above mentioned coatings, call Aven for price and delivery time.

| Quality Grades (Table 1) | | |
|--------------------------|--|--|
| Accu-Tek ♦♦♦♦ | Made from the finest steels. Perfectly Balanced for a superior feel. Light weight with soft tension with accurately finished points. Recommended for work under high power magnification aerospace and micro electronics and in applications where high precision is required. All Accu-Tek precision tweezers are made from anti-acid, anti-magnetic stainless steel. | |
| Technik ♦♦♦ | Finely crafted tweezers. Anti-glare finish to reduce eye strain. Hand finished points for accuracy. Recommended for micro electronics and precision assembly. | |

| Material Selection Guide (Table 2) | | | | |
|---|--------------|------------------------|-----------------------------|--|
| Material | Tip Hardness | Magnetism | Corrosion Resistance | |
| Titanium | Excellent | Never | Excellent | |
| Carbon steel | Excellent | Yes | Low | |
| Stainless Steel | Very Good | Some | Good | |
| Stainless Steel, Anti- magnetic, Anti-acid | Good | None to very little | Excellent, Resists Acids | |
| Carbon Composite | Soft | None | Non- corrosive | |

Titanium: Titanium tweezers are excellent for use in the silicon chip industry, as they do not shed particles like the stainless steel. When it is determined that microscopic particles are a detriment when handling abrasive parts we recommend using titanium tweezers. In addition since titanium tweezers are 100% non magnetic, they are extremely useful when working with magnetic materials or when working in a magnetic field. Titanium is lightweight and a high strength material.

Ceramic: ESD Safe, non magnetic. Resists all chemicals except hydrofluoric acids. Withstands temperatures up to 900°F. Heat sink fighter.

Plastic: We offer static dissipative plastic tweezers. Plastic tweezers are non magnetic, resist virtually all commercial solvents. Non absorbent and easy to clean. Tips are non-marring.

Carbofib: Fully ESD Safe (102 ohm) but at the same time, soft and non scratching. These conductive synthetic fiber tips are ideally suited to handle delicate and fragile components when extreme care and ESD safety are an absolute necessity. Every tweezers is manually finished and tested for maximum precision. Chemical resistant and heat resistant up to 256°C.

Tweezers

Precision Tweezers

Style AA Tweezers

For general assembly, very strong and precise tips with fine finish. Available in different materials and quality grades. Length: 5" (130mm)

| AA |
|----|

| Product ID | Description | Material |
|---|----------------------------|------------------------------------|
| 18013-BR | Accu-Tek Tweezers AM-BR | Brass |
| 18013USA Technik Tweezers AA-SA Stainless Steel | | Stainless Steel |
| 18011-CS | Aven Tweezers AA-CS | Carbon Steel, Nickel/Chrome Plated |
| 18013TS | Accu-Tek AA (Swiss Made) | Titanium |
| 18013TT | Aven Tweezers AA | Titanium |
| 18013EZ | E-Z Pik Tweezers AA Yellow | Stainless Steel |

Style AC Tweezers

Sturdy tips for bending and handling very fine wire and components. Tweezers feature finger grips. Available in different materials and quality grades. Length: 4-3/4" (120mm)

| Product ID | Description | Material |
|------------|------------------------|------------------------------------|
| 18016USA | Technik Tweezers AC-SA | Stainless Steel |
| 18014-CS | Aven Tweezers AC-CS | Carbon Steel, Nickel/Chrome Plated |

Style MM Tweezers

General purpose, tweezers with hardened, precision tips and fine finish. Available in different materials and quality grades. Length: 5" (130mm)

| Product ID | Description | Material |
|------------|------------------------|------------------------------------|
| 18023USA | Technik Tweezers MM-SA | Stainless Steel |
| 18014-CS | Aven Tweezers MM-CS | Carbon Steel, Nickel/Chrome Plated |

Style 00 Tweezers

Flat edges, heavy duty strong blades tapering to a regular strong point. Available in different materials and quality grades. Length: 4-3/4" (120mm)

| 00 |
|----|

| Product ID | Description | Material |
|------------|-----------------------------|------------------------------------|
| 18032ACU | Accu-Tek Tweezers 00-SA | Stainless Steel |
| 18032USA | Technik Tweezers 00-SA | Stainless Steel |
| 18032-CS | Aven Tweezers 00-CS | Carbon Steel, Nickel/Chrome Plated |
| 18032TS | Accu-Tek 00 (Swiss Made) | Titanium |
| 18032TT | Aven Tweezers 00 | Titanium |
| 18032EZ | E-Z Pik Tweezers 00 Red | Stainless Steel |
| 18032-ER | Comfort Grip Tweezers 00-SA | Stainless Steel |

51



00C

00D



Style 00C Tweezers

Flat edges, heavy duty strong blades tapering to a regular strong point. Slightly shorter than 00. Length: 4-1/2" (115mm)

| Product ID | Description | Material |
|------------|-------------------------|-----------------|
| 18034USA | Technik Tweezers 00C-SA | Stainless Steel |

Style 00D Tweezers

Flat edges, heavy duty strong blades tapering to a regular strong point. Tweezers feature finger grips. Available in different materials and quality grades. Length: 4-3/4" (120mm)

| Product ID | Description | Material |
|------------|----------------------------|------------------------------------|
| 18037ACU | Accu-Tek Tweezers 00D-SA | Stainless Steel |
| 18037-MS | Mini 00D-SA (Swiss Made) | Stainless Steel |
| 18037USA | Technik Tweezers 00D-SA | Stainless Steel |
| 18036-CS | Aven Tweezers 00D-CS | Carbon Steel, Nickel/Chrome Plated |
| 18037TT | Aven Titanium Tweezers 00D | Titanium |

Style 0 Tweezers

Extremely fine straight points for general handling and positioning of minature parts or fine wire. Available in different quality grades. Length: 4-3/4" (120mm)

| Product ID | Description | Material |
|------------|------------------------|-----------------|
| 18026ACU | Accu-Tek Tweezers 0-SA | Stainless Steel |
| 18026USA | Technik Tweezers 0-SA | Stainless Steel |

Style 0A Tweezers

Straight point tweezers with radius edges are uniquely designed for working in small yet dense areas. Length: 4-3/4" (120mm)

| Product ID | Description | Material |
|------------|------------------------|-----------------|
| 18027USA | Technik Tweezers 0A-SA | Stainless Steel |
| | | |

Style OC Tweezers

Straight point tweezers with flat edges, fine tips and shortened overall length for delicate handling of small parts. Available in different quality grades. Length: 3-1/2" (90mm)

| | · | |
|------------|-------------------------|-----------------|
| Product ID | Description | Material |
| 18029ACU | Accu-Tek Tweezers 0C-SA | Stainless Steel |
| 18029USA | Technik Tweezers 0C-SA | Stainless Steel |

мм

AC

0



AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Style SS Tweezers

Extra long and narrow, straight point tweezers. Provides extended reach and access to confined areas. Available in different quality grades. Length: 5-1/2" (140mm)

| Product ID | Description | Material |
|------------|-------------------------|-----------------|
| 18040ACU | Accu-Tek Tweezers SS-SA | Stainless Steel |
| 18040ACU | Artis Tweezers SS-SA | Stainless Steel |
| 18040USA | Technik Tweezers SS-SA | Stainless Steel |

Style 1 Tweezers

Designed for general use featuring strong blades with fine points. Available in different materials and quality grades. Length: 4-3/4" (120mm)

| Product ID | Description | Material |
|------------|--------------------------|------------------------------------|
| 18043ACU | Accu-Tek Tweezers 1-SA | Stainless Steel |
| 18043USA | Technik Tweezers 1-SA | Stainless Steel |
| 18043-CS | Aven Tweezers 1-CS | Carbon Steel, Nickel/Chrome Plated |
| 18043ARS | Artis Tweezers 1-SA | Stainless Steel |
| 18043TT | Aven Titanium Tweezers 1 | Titanium |

Style 2 Tweezers

Tapered, sharp point tweezers for bending and handling of small wires and parts. Available in different materials and quality grades. Length: 4-3/4" (120mm)

| Product ID | Description | Material |
|------------|--------------------------|------------------------------------|
| 18046ACU | Accu-Tek Tweezers 2-SA | Stainless Steel |
| 18046-MS | Mini 2-SA (Swiss Made) | Stainless Steel |
| 18046USA | Technik Tweezers 2-SA | Stainless Steel |
| 18046-CS | Aven Tweezers 2-CS | Carbon Steel, Nickel/Chrome Plated |
| 18046TS | Accu-Tek 2 (Swiss Made) | Titanium |
| 18046TT | Aven Titanium Tweezers 2 | Titanium |

Style 2A Tweezers

Straight Flat Tips. Provides large flat gripping surface. Available in different materials and quality grades. Length: 4-3/4" (120mm)

| Product ID | Description | Material |
|------------|-----------------------------|------------------------------------|
| 18049ACU | Accu-Tek Tweezers 2A-SA | Stainless Steel |
| 18049-MS | Mini 2A-SA (Swiss Made) | Stainless Steel |
| 18049USA | Technik Tweezers 2A-SA | Stainless Steel |
| 18049-CS | Aven Tweezers 2A-CS | Carbon Steel, Nickel/Chrome Plated |
| 18049TS | Accu-Tek 2A (Swiss Made) | Titanium |
| 18049TT | Aven Titanium Tweezers 2A | Titanium |
| 18049EZ | E-Z Pik Tweezers 2A Black | Stainless Steel |
| 18049-ER | Comfort Grip Tweezers 2A-SA | Stainless Steel |
| 18043-ARS | Artis Tweezers 2A-SA | Stainless Steel |

Tweezers

Material

Material

Stainless Steel

Stainless Steel

Stainless Steel

Titanium

Titanium

Carbon Steel, Nickel/Chrome Plated

Stainless Steel

Precision Tweezers

2AB

3C

3CB

3F

Ideal for handling wafers, delicate parts, and delicate assembly work. Length: 4-3/4" (120mm)

| Product ID | Description | Material |
|------------|----------------------|-----------------|
| 18201USA | Aven Tweezers 35A-SA | Stainless Steel |

Style 36 Tweezers

Style 35A Tweezers

Angled broad tip tweezers feature large paddle style tips. Wide tips provide firm grip. Length: 4-3/4" (120mm)

| | 3 |
|----------|---|
| Material | |

| Product ID | Description | Material |
|------------|---------------------|-----------------|
| 18202USA | Aven Tweezers 36-SA | Stainless Steel |

Style 4 Tweezers

Designed for extra fine work. Blades taper sharply from body to form very fine long rounded points. Available in different materials and quality grades. Length: 4-1/4" (110mm)

| Product ID | Description | Material |
|------------|--------------------------|------------------------------------|
| 18059ACU | Accu-Tek Tweezers 4-SA | Stainless Steel |
| 18059USA | Technik Tweezers 4-SA | Stainless Steel |
| 18057-CS | Aven Tweezers 4-CS | Carbon Steel, Nickel/Chrome Plated |
| 18059TT | Aven Titanium Tweezers 4 | Titanium |

Style 5 Tweezers

Designed for extra fine work with long blades which break sharply from body and taper to the sharpest points available. Available in different materials and quality grades. Length: 4-1/4" (110mm)

| Product ID | Description | Material |
|------------|----------------------------|------------------------------------|
| 18062ACU | Accu-Tek Tweezers 5-SA | Stainless Steel |
| 18062-MS | Mini 5-SA (Swiss Made) | Stainless Steel |
| 18062USA | Technik Tweezers 5-SA | Stainless Steel |
| 18060-CS | Aven Tweezers 5-CS | Carbon Steel, Nickel/Chrome Plated |
| 18062TS | Accu-Tek 5 (Swiss Made) | Titanium |
| 18062TT | Aven Titanium Tweezers 5 | Titanium |
| 18062EZ | E-Z Pik Tweezers 5 Green | Stainless Steel |
| 18062-ER | Comfort Grip Tweezers 5-SA | Stainless Steel |
| 18062ARS | Artis Tweezer 5-SA | Stainless Steel |

Style 5A Tweezers

Features the sharpest points available. The oblique fine points provide greater visibility. Available in different materials and quality grades. Length: 4-1/2" (115mm

| (115mm) | | |
|------------|---------------------------|-----------------|
| Product ID | Description | Material |
| 18065ACU | Accu-Tek Tweezers 5A-SA | Stainless Steel |
| 18065USA | Technik Tweezers 5A-SA | Stainless Steel |
| 18065TT | Aven Titanium Tweezers 5A | Titanium |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

52

53



2A

SS

| Fine point tweezers, slightly shorter than #3, |
|--|
| for general assembly or light magnification |
| applications. Available in different materials |

and quality grades. Length: 4-1/4" (110mm)

| Product ID | Description | Material |
|------------|--------------------------------|------------------------------------|
| 18056ACU | Accu-Tek Tweezers 3C-SA | Stainless Steel |
| 18056USA | Technik Tweezers 3C-SA | Stainless Steel |
| 18054-CS | Aven Tweezers 3C-CS | Carbon Steel, Nickel/Chrome Plated |
| 18056TS | Accu-Tek 3C (Swiss Made) | Titanium |
| 18056TT | Aven Titanium Tweezers 3C | Titanium |
| 18056EZ | E-Z Pik Tweezers 3C Light Blue | Stainless Steel |
| 18056-ER | Comfort Grip Tweezers 3C-SA | Stainless Steel |
| 18056ARS | Artis Tweezers 3C-SA | Stainless Steel |

Style 3CB Tweezers

Style 2AB Tweezers

4-3/4" (120mm)

4-3/4" (120mm)

Product ID

18053ACU

18053-MS

18053USA

18053-CS

18053TS

18053TT

Style 3CTweezers

Style 3 Tweezers

Product ID

18050USA

Style 2AB Tweezers feature curved round tips,

Description

Fine point tweezers for general assembly or

light magnification applications. Available in

different materials and quality grades. Length:

Description

Accu-Tek Tweezers 3-SA

Mini 3-SA (Swiss Made)

Technik Tweezers 3-SA

Accu-Tek 3 (Swiss Made)

Aven Titanium Tweezers 3

Aven Tweezers 3-CS

Technik Tweezers 2AB-SA

ideal for handling delicate or small parts. Tip

angle facilitates wafer tray loading. Length:

Long and narrow bent tip tweezers. Provides extended reach and access to confined areas. Length: 4-1/4" (110mm)

| | | r | |
|------------|--------------------------|-----------------|---|
| Product ID | Description | Material | |
| 18078ACU | Accu-Tek Tweezers 3CB-SA | Stainless Steel | |
| | | | 1 |

Style 3F Tweezers

Tips touch over 3mm for holding tiny wires. Length: 4-3/4" (120mm)

| Product ID | Description | Material | |
|------------|-------------------------|-----------------|--|
| 18079ACU | Accu-Tek Tweezers 3F-SA | Stainless Steel | |

Tweezers

Precision Tweezers



65A

66



35A

Style 5B Tweezers

Features super micro high precision bent tips provide maximum visiblilty. Available in different materials and guality grades. Length: 4-1/4" (110mm)

Angled fine tip is designed to allow greater

access into tight areas. Available in different

materials and quality grades. Length: 4-3/4"

| Product ID | Description | Material |
|------------|------------------------|------------------------------------|
| 18066USA | Technik Tweezers 5B-SA | Stainless Steel |
| 18066-CS | Aven Tweezers 5B-CS | Carbon Steel, Nickel/Chrome Plated |

Style 6 Tweezers

(120mm)

36

5

5A

| | | - |
|------------|--------------------------|------------------------------------|
| Product ID | Description | Material |
| 18069ACU | Accu-Tek Tweezers 6-SA | Stainless Steel |
| 18069USA | Technik Tweezers 6-SA | Stainless Steel |
| 18067-CS | Aven Tweezers 6-CS | Carbon Steel, Nickel/Chrome Plated |
| 18069TS | Accu-Tek 6 (Swiss Made) | Titanium |
| 18069TT | Aven Titanium Tweezers 6 | Titanium |

Style 65A Tweezers

Long fine curved tips are designed to allow greater access into tight areas. Length: 5-1/2" (140mm)

| | | 7 |
|------------|--------------------------|-----------------|
| Product ID | Description | Material |
| 18076ACU | Accu-Tek Tweezers 65A-SA | Stainless Steel |

Style 66 Tweezers

Long double bent tips are designed to allow greater access into tight areas. Length: 5-1/2" (140mm)

| Product ID | Description | Material |
|------------|-------------------------|-----------------|
| 18077ACU | Accu-Tek Tweezers 66-SA | Stainless Steel |

Style 7 Tweezers

Designed with curved, super fine points for easy assembly work, allowing hand to rest on bench. Available in different materials and quality grades. Length: 4-1/2" (115mm)

| Product ID | Description | Material |
|------------|----------------------------|------------------------------------|
| 18072ACU | Accu-Tek Tweezers 7-SA | Stainless Steel |
| 18072USA | Technik Tweezers 7-SA | Stainless Steel |
| 18070-CS | Aven Tweezers 7-CS | Carbon Steel, Nickel/Chrome Plated |
| 18072TS | Accu-Tek 7 (Swiss Made) | Titanium |
| 18072TT | Aven Titanium Tweezers 7 | Titanium |
| 18072EZ | E-Z Pik Tweezers 7 Orange | Stainless Steel |
| 18072-ER | Comfort Grip Tweezers 7-SA | Stainless Steel |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Style 7B Tweezers

Similar to style 7, pattern 7B tweezers feature serrated tips and have been designed with curved, super fine points for easy assembly work, allowing hand to rest on bench. Length: 4-1/2" (115mm)

| Product ID | Description | Material |
|------------|------------------------|-----------------|
| 18074USA | Technik Tweezers 7B-SA | Stainless Steel |
| | | |

Style 15AWG Tweezers

Designed for culling hairsprings and electronic component wires. The blades, made from 400 series stainless steel induction for durability. feature hardened tips. Length: 4-1/2" (115mm)

Product ID Description Material 18114ACU Accu-Tek Tweezers 15AWG-SA Stainless Steel

Aven 6-Piece Tweezer Set

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Curved and straight tip tweezers are helpful when working in confined spaces Locking tweezers helpful for soldering
- and holding small parts

Product ID Description Aven 6-Piece Tweezer Set 18472

Aven 5-Piece Tweezer Set

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removir small items Curved and straight tip tweezers are
- helpful when working in confined spaces
- Locking tweezers helpful for soldering and holding small parts

Product ID Description

18473

Aven 5-Piece Tweezer Set

Technik 6-Piece Precision Tweezer Set

- Finely crafted tweezers
- Anti-glare finish to reduce eye strain
- Hand finished points for accuracy
- ▶ Ideal for micro electronics and precision assembly
- Contains AA-SA, OO-SA, OODSA, 3C-SA, 5-SA and 7-SA styles

Product ID Description Technik 6-Piece Precision Tweezer Set 18475USA

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Technik 5-Piece Precision

Tweezer Set

- Finely crafted tweezers Anti-glare finish to reduce eye strain
- Hand finished points for accuracy
- Ideal for micro electronics and
- precision assembly Contains OO-SA, OOD-SA, 3C-SA, 5-S
- and 7-SA styles
- Supplied in an elegant padded wooden case

Description roduct ID

Technik 5-Piece Precision Tweezer Set 18476USA

E-Z Pik 6-Piece Tweezer Set

Color coated for easy identification

- Contains AA-SA, OO-SA, OODSA, 3C-SA, 5-SA and 7-SA styles
- Stainless steel, anti-magnetic, anti-acid
- Highly durable special coating for high visibility and easy identification

Product ID Description

18480EZ E-Z Pik 6-Piece Tweezer Set

Titanium 6-Piece Precision Tweezer Set

- Aven's most popular titanium tweezer styles in a handy pouch
- Titanium tweezers do not shed particles
- like the stainless steel tweezers
- Light weight and high strength material
- Contains 2A, 3c, OO, AA, 5 and 7 styles
- Extremely useful when handling magnetic materials

roduct ID Description

Titanium 6-Piece Precision Tweezer Set 18480TT

Carbofib 3-CF Tweezers

These Swiss made, ESD safe tweezers feature excellent wear and abrasion resistance. Ideal for handling sensitive materials such as electronic components, micro-mechanical parts, glass and ceramic substrates, these tweezers provide very high rigidity, excellent tensile and flexural strength and have good chemical resistance to oils, grease, fuels, and nonpolar solvents. Length: 5" (130mm)

| Product ID | Description | Tip Style | Tip Width | Style |
|------------|--------------------------|----------------------|-----------|-------|
| 18702 | Carbofib 302-CF Tweezers | Straight, Broad | 2mm | 302 |
| 18704 | Carbofib 304-CF Tweezers | Straight, Ultra Fine | 0.6mm | 304 |
| 18760 | Carbofib 3-CF Tweezers | Straight, Fine | 0.8mm | 3 |
| 18762 | Carbofib 5-CF Tweezers | Straight, Ultra Fine | 0.5mm | 5 |
| 18767 | Carbofib 2-CF Tweezers | Straight, Fine | 0.8mm | 2 |
| 18768 | Carbofib 2A-CF Tweezers | Straight, Rounded | 1.8mm | 2A |
| 18769 | Carbofib 7-CF Tweezers | Curved, Fine | 0.6mm | 7 |

Tweezers

Plastic & Carbofib Tweezers

Style 2AB Plastic Tweezers

Curved with rounded tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive

| environments. | | | 18514 | components. | |
|---------------|--|-------|------------|-------------|--|
| Product ID | Description | Len | gth | | |
| 18514 | Plastic Tweezers 2AB Curved, Flat Tips | 4-1/. | 2" (115mm) | Product ID | Description |
| | | | | 18532 | ESD Plastic Tweezers 705 Very Fine, Tapered Tips |
| · · | astic Tweezers | | 15 | Style 707 E | SD Plastic Tweezers |

Straight with very fine tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments

| Product ID | Description | Length |
|------------|---|----------------|
| 18517 | Plastic Tweezers 2C Fine, Straight Tips | 4-1/2" (115mm) |

Style 7 Plastic Tweezers

Curved with very fine tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments.

| Product ID | Description | Length |
|------------|--------------------------------------|----------------|
| 18523 | Plastic Tweezers 7 Fine, Curved Tips | 4-1/2" (115mm) |
| | | |

Style 35 Plastic Tweezers

Straight with flat tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments.

| Product ID | Description | Length |
|------------|---|----------------|
| 18526 | Plastic Tweezers 35 Straight, Flat Tips | 4-1/2" (115mm) |

Style 35A Plastic Tweezers

Straight with broad, flat tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments

| Product ID | Description | Length |
|------------|---|----------------|
| 18529 | Plastic Tweezers 35A Straight, Broad, Flat Tips | 4-1/2" (115mm) |
| | | |

Style 702A ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

| Product ID | Description | Length |
|------------|---|----------------|
| 18531 | ESD Plastic Tweezers 702A Straight, Flat Tips | 4-1/2" (115mm) |



| | 18702 | |
|----|-------|--|
| 0 | | |
| 11 | | |



55





Precision Tweezers



18480EZ

18480TT

18472

15AWG

18473

18475USA





18517

18523

18526

18529

Style 705 ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of

18532

18533

Length

4-1/2" (115mm

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components

| Product ID | Description | Length |
|------------|------------------------------------|----------------|
| 18533 | ESD Plastic Tweezers 707 Fine Tips | 4-1/2" (115mm) |
| Style 707A | ESD Plastic Tweezers | 1 |

Manufactured from Polyetheretherketone reinforced with 30%

carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

18534

| Product ID | Description | Length |
|------------|---|----------------|
| 18534 | ESD Plastic Tweezers 707A Curved, Fine Tips | 4-1/2" (115mm) |
| | | |

Style 709 ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components

| 1 | 8535 | |
|---|------|--|
| | | |

| Product ID | Description | Length |
|------------|---|----------------|
| 18535 | ESD Plastic Tweezers 709 Broad, Flat Tips | 4-1/2" (115mm) |
| | | |

Style 710 ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

18536

| Product ID | Description | Length |
|------------|--|----------------|
| 18536 | ESD Plastic Tweezers 710 Wide, Flat Tips | 4-1/2" (115mm) |



Register online to receive updates on the newest products and for the latest specials from Aven.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Victor Ceramic Tweezers

- Low thermal conductivity and high thermal shock resistance
- Ceramic tweezers are used in applications where extreme heat
- is present
- ▶ Highly resistant to all strong acids except hydrofluoric
- Chemically and electrically inert Solder will not adhere to surface

18801

18811

18415

18419

| Product ID | Description | Material |
|------------|--|----------|
| 18801 | Ceramic Tweezers 1mm Serrated Tips | Ceramic |
| 18802 | Ceramic Tweezers 1mm Smooth Tips | Ceramic |
| 18803 | Ceramic Tweezers Ultra Fine Smooth Tips | Ceramic |
| 18804 | Ceramic Tweezers Curved Fine Smooth Tips | Ceramic |

Accu-Tek Ceramic Tweezers

- ► Low thermal conductivity and high thermal shock resistance
- 100% non magnetic, non rusting and non static
- ▶ Highly resistant to all strong acids except hydrofluoric
- Solder will not adhere to surface
- Will hold tip geometry better than metal
- Swiss made stainless steel handles

| Product ID | Description | Material |
|------------|------------------------------|-------------------------------------|
| 18810 | Ceramic Tweezers Pattern 71 | Ceramic Tips/Stainless Steel Bodies |
| 18811 | Ceramic Tweezers Pattern 72 | Ceramic Tips/Stainless Steel Bodies |
| 18812 | Ceramic Tweezers Pattern 73 | Ceramic Tips/Stainless Steel Bodies |
| 18813 | Ceramic Tweezers Pattern 74 | Ceramic Tips/Stainless Steel Bodies |
| 18814 | Ceramic Tweezers Pattern 7MZ | Ceramic Tips/Stainless Steel Bodies |

Aven Fiber Grip Tweezers

Product ID

released

Product ID

18419

18421

18423

18415

18417

- Polished stainless steel tips firmly hold without contaminating
- ▶ Heat-resistant fiber grips protect your hands from heat while
- soldering Ideal for soldering, bending, separating and removing small items

Aven Fiber Grip Tweezers - Straight

Aven Fiber Grip Tweezers - Curved

Stainless steel finish provides excellent corrosion resistance

Cross-lock mechanism opens when pressed and closes when

▶ Ideal for bending, separating and removing small items

Aven Self Locking Tweezers - Narrow

Aven Self Locking Tweezers - Wide

Aven Self Locking Tweezers - Narrow Short

Cross-lock mechanism opens when pressed

Description

Aven Self Locking Tweezers

Description

Tweezers

Ceramic & General Purpose Tweezers

Aven College Forceps w/Lock

- Stainless steel finish provides excellent corrosion resistance
- ▶ Ideal for bending, separating and removing small items
- Curved tip is helpful when working in confined spaces

18400

18402

18430

roduct ID Description Aven College Forceps w/Lock 18400

Aven College Forceps w/Alignment Pin

- Stainless steel finish provides excellent corrosion resistance Alignment pin keeps tips aligned under high stress
- applications
- Inside and outside serrations provide better gripping and handling

| | | - |
|------------|--------------------------------------|-------------------------|
| Product ID | Description | Tip Style |
| 18401 | Aven College Forceps w/Alignment Pin | Straight, Serrated |
| 18402 | Aven College Forceps w/Alignment Pin | Curved, Serrated |
| 18403 | Aven College Forceps w/Alignment Pin | Offset Curved, Serrated |
| 18438 | Aven College Forceps w/Alignment Pin | Curved, Serrated |

Aven Forceps w/Plastic Coated Tips

- Stainless steel finish provides excellent corrosion resistance
- Plastic coated tips provide chemical resistance
- Serrated handles provide better gripping

Tweezers

General Purpose & Quick Test Tweezers

Aven Utility Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping

18425

| Product ID | Description | Tip Style |
|------------|-------------------------------------|--------------------|
| 18425 | Aven 7" Utility Tweezers - Curved | Curved, Serrated |
| 18426 | Aven 7" Utility Tweezers - Straight | Straight, Serrated |

Aven 4 3/8" General Purpose Tweezers

- Stainless steel finish provides excellent corrosion resistance
- ▶ Ideal for bending, separating and removing small items
- Serrated handles provide better gripping

| Product ID | Description | Tip Style |
|------------|------------------------------|------------------|
| 18481 | Aven 4 3/8" Curved Tweezers | Curved, Serrated |
| 18482 | Aven 4 3/8" Tapered Tweezers | Tapered, Smooth |

Aven Blunt Tip Tweezers

- Stainless steel finish provides excellent corrosion resistance
- ▶ Ideal for bending, separating and removing small items
- Serrated handles provide better gripping
- Blunt tips are useful for handling larger items

18481

| Product ID | Description | Tip Style |
|------------|------------------------------|-----------------|
| 18486 | Aven 3 1/8" Blunt Tweezers | Blunt, Smooth |
| 18490 | Aven 5 15/16" Blunt Tweezers | Blunt, Serrated |
| 18492 | Aven 10" Blunt Tweezers | Blunt, Serrated |

Aven 3" Sharp Tweezers

- Stainless steel finish provides excellent corrosion resistance
- ▶ Ideal for bending, separating and removing small items
- Medium-sharp, serrated tip is helpful when working in confined spaces
- Serrated handles provide better gripping

Tip Style

Medium Sharp, Serrated

18483

| | Product ID | Description | Tip |
|------------------|------------|------------------------------|-----|
| ht Serrated Tips | 18483 | Aven 3" Sharp Tweezers | Me |
| ht Serrated Tips | | | |
| t Serrated Tips | Aven Gen | eral Purpose Flat Tip Tweeze | rs |
| | | | |

18428

Stainless steel finish provides excellent corrosion resistance Ideal for bending, separating and removing small items

| Product ID | Description | Tip Style |
|------------|-----------------------------|------------|
| 18484 | Aven 3 1/8" Tweezers | Sharp-Flat |
| 18485 | Aven 3 1/2" Tweezers | Sharp-Flat |
| 18489 | Aven 4 3/4" Smooth Tweezers | Sharp-Flat |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

57

56

18430 Aven 8" Forceps w/Plastic Coated Tips 18431

Product ID

- Stainless steel finish provides excellent corrosion resistance
- ▶ Ideal for bending, separating and removing small items Long, straight tip is helpful when working in confined
- spaces
- Serrated handles provide better gripping

18436

| | Product ID | Description | |
|-------|------------|---|--|
| | 18432 | Aven 12" Forceps w/Straight Serrated Tips | |
| | 18433 | Aven 10" Forceps w/Straight Serrated Tips | |
| | 18434 | Aven 8" Forceps w/Straight Serrated Tips | |
| | 18435 | Aven 6" Forceps w/Straight Serrated Tips | |
| 18436 | | Aven 5" Forceps w/Straight Serrated Tips | |
| | Aven Cros | ss Locking Tweezers | |

Aven Cross Locking Tweezers

roduct ID Description

8428

- Stainless steel finish provides excellent corrosion resistance
- Ideal for soldering and holding small parts

Aven Cross Locking Tweezers

Aven 12" Forceps w/Plastic Coated Tips

Description

Aven Forceps w/Straight Serrated Tips





Aven 4 3/8" Spade Tweezers

roduct ID Description

Stainless steel finish provides excellent corrosion resistance

Stainless steel finish provides excellent corrosion resistance

▶ Ideal for bending, separating and removing small items

Spade tip is helpful when working in confined spaces

- Ideal for bending, separating and removing small items
- Spade tip is helpful when working in confined spaces
- Serrated handles provide better gripping

Aven 4 3/8" Spade Tweezers

Aven Offset Spade Tweezers

Serrated handles provide better gripping

18487

18488

Tip Style

Spade

| ø | |
|---|--|

18487

18481



| | Product ID | Description | Tip Style |
|---|------------|-----------------------------------|-----------|
| 1 | 18488 | Aven 4 1/8" Offset Spade Tweezers | Spade |
| | 18491 | Aven 4 1/2" Offset Spade Tweezers | Spade |

Aven Toothed Tissue Forceps

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- ▶ Toothed models are ideal for handling the various thicknesses of tissues

| 18494 | 4 |
|-------|---|
|-------|---|

| Product ID | Description | Tip Style |
|---|--|-----------|
| 18494 | Aven Toothed Tissue Forceps | Toothed |
| Measures test Auto Scar Testing pi prevent ri Uses Lithi Will autor | t Auto-Scanning Tweezers AC/DC voltage, resistance, continunity uning Mode/Auto range ns gold plated to reduce resistance and ust um battery CR2032, included natically identify whether nt is a resistor, capacitor or | |
| Product ID | Description | |
| | | |

Register online to receive updates on the newest products and for the latest specials from Aven.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Soldering Station with LCD

Display, ESD Safe 400 Series High-quality sensor and heat exchange

- system guarantee precise temperature control at the soldering tip
- Soldering iron tool heats rapidly from room temperature to 350C in 30 seconds
- Suitable for general purpose soldering as well as specialized lead-free soldering applications
- Sponge and coiled brass tip cleaner ensure a clean soldering tip free from debris and corrosive material
- Strong, deluxe iron holder provides safe secure place to store heated iron between uses

Soldering & Desoldering

Soldering/Desoldering Tools & Accessories

Soldering Iron 80W with Fine Tip

- Ideal for general purpose soldering applications including metal board, tube or large components
- Round, soft grip, non-slip handle
- Durable cord with a 5-foot reach
- Fitted with long life replaceable fine tip

roduct ID Description 7521 Soldering Iron 40W with Fine Tip

Soldering Iron 40W with Fine Tip

- Ideal for general purpose soldering
- Round, soft grip, non-slip handle
- Durable cord with a 5-foot reach
- Fitted with long life replaceable fine tip

roduct ID Description

Soldering Iron 40W with Fine Tip 17521

N-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Replacement tips for soldering the different components of PCBs
- Five different sizes
- Includes two tips
- For use with 17400 & 17405 ESD Safe Soldering Stations with LCD Display

| Product ID | Description |
|------------|-------------------------------------|
| 17400-N9-1 | N-Series Soldering Iron Tips (N9-1) |
| 17400-N9-2 | N-Series Soldering Iron Tips (N9-2) |
| 17400-N9-3 | N-Series Soldering Iron Tips (N9-3) |
| 17400-N9-4 | N-Series Soldering Iron Tips (N9-4) |
| 17400-N9-5 | N-Series Soldering Iron Tips (N9-5) |

C-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Replacement tips for soldering the different components of PCBs
- Four different sizes
- Includes two tips
- For use with 17521 Soldering Iron 40W

| 17521-C1-1 | C-Series Soldering Iron Tips (C1-1) |
|------------|-------------------------------------|
| 17521-C1-2 | C-Series Soldering Iron Tips (C1-2) |
| 17521-C1-3 | C-Series Soldering Iron Tips (C1-3) |
| 17521-C1-4 | C-Series Soldering Iron Tips (C1-4) |

B-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Includes two tips
- For use with 17510 Soldering Iron 80W

Description roduct ID

I7510-B5-1 B-Series Soldering Iron Tips (B5-1)

Soldering & Desoldering

Soldering/Desoldering Tools & Accessories

Lead Free Solder Pot 100W

- Heating element liquifies solder quickly and provides excellent thermal stability
- Crucible is made from stainless steel with titanium plating, featuring corrosion resistance and prolonged service life
- Suitable for melting solder, plastic, resin and more 17100-100
- Ideal for tinning ends of stranded wire leads, pre-tinning small electrical parts and dip soldering small circuit boards

| Product ID | Description | Solder Pot Capacity |
|------------|---------------------------|---------------------|
| 17100-100 | Lead Free Solder Pot 100W | 250g |

Lead Free Solder Pot 150W

- Heating element liquifies solder guickly and provides excellent thermal stability
- Crucible is made from stainless steel with titanium plating, featuring corrosion resistance and prolonged service life
- Suitable for melting solder, plastic, resin and more 17100-150
- Ideal for tinning ends of stranded wire leads, pre-tinning small electrical parts and dip soldering small circuit boards

| Product ID | Description | Solder Pot Capacity |
|------------|---------------------------|---------------------|
| 17100-150 | Lead Free Solder Pot 150W | 500g |

Lead Free Solder Pot 200W

- Heating element liquifies solder quickly and provides excellent thermal stability
- Crucible is made from stainless steel with titanium plating, featuring corrosion resistance and prolonged service life
- Suitable for melting solder, plastic, resin and more Ideal for tinning ends of stranded wire leads, pre-
- tinning small electrical parts and dip soldering small circuit boards

17100-200

| Product ID | Description | Solder Pot Capacity |
|------------|---------------------------|---------------------|
| 17100-200 | Lead Free Solder Pot 200W | 800g |

Desoldering Pump - High Impact Plastic 13"

- Durable corrosion resistant plastic construction with precision metal plunger
- Cushioned shock reduction minimizes board damage
- Teflon (PTFE) non-stick coated tip
- Easy to clean one-touch cylinder

17535

17536

Description Product ID

17535 Desoldering Pump - High Impact Plastic 13"

Desoldering Pump - ESD Safe Plastic 8.5"

- Durable corrosion resistant plastic construction
- Easy to clean one-touch cylinder
- Cushioned shock reduction minimizes board damage

Product ID Description

17536 Desoldering Pump - ESD Safe Plastic 8.5"

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

58

59



17510



17400

405 Series

Product ID

17400

- LCD temperature control display with blue backlight
- Long lasting, durable high quality ceramic heater Sponge and recessed area provides a
- convenient method for cleaning the tip

Description

- Suitable for general purpose soldering as well as specialized lead-free soldering applications
- Safety guard iron holder

17405

17501

17502

| oduct ID | Description | | |
|----------|-------------|------|--|
| | | | |

17405 Soldering Station with LCD Display, ESD Safe 405 Series

Soldering Kit - 6pc

Soldering Kit - 7pc

equipment, etc.

soldering projects

solder

Product ID

17502

Product ID

17501

▶ 40 Watt Soldering Iron heats up to 900° F

Description

Soldering Kit - 6pc

▶ 40 Watt Soldering Iron heats up to 900° F

Provides basic tools needed for many

Description

Soldering Kit - 7pc

- Ideal for use on electrical/electronic components, audio equipment, etc.
- Includes desoldering pump for removing liquid solder

▶ Ideal for use on electrical/electronic components, audio

Includes desoldering pump for removing liquid

▶ 6 Pc kit comes complete with replaceable fine tip

Provides basic tools needed for many soldering projects ▶ 6 Pc kit comes complete with replaceable fine tip













Good solderability, no spattering and noncorrosive

Desoldering Pump - Metal Body 7.5"

Push Button for Easy Plunger Release

Portable Soldering Iron 30-70W

Cordless, Simple and Safe Operation

Ready to use in 20 seconds after Ignition

Easy to clean one-touch cylinder

Product ID Description

30 to 70 Watt power range

Supplied with 1mm Conical Tip

(750°F to 2500°F)

17537

metal plunger

Durable corrosion resistant aluminum construction with precisior

Cushioned shock reduction minimizes board damage

Desoldering Pump - Metal Body 7.5"

Adjustable tip temperature from 400°C to 1300°C

- Leaded solder 60/40 | Lead-free solder 99.3/0.7
- 360-440° F melting point
- 1-1.2mm diameter solder available
- Ideal for use on PCB, electronic devices and fine electrical soldering

| Product ID | Description |
|------------|--------------------------------|
| 17553 | Solder 100g 1.2mm 60/40 |
| 17555 | Solder 100g 1.0mm 60/40 |
| 17553LF | Solder 100g 1.2mm Lead Free |
| 17555LF | Solder 100g 1.0mm Lead Free |
| 17551 | Solder in Tube 1.0mm 60/40 |
| 17552 | Solder in Tube 1.2mm 60/40 |
| 17551LF | Solder in Tube 1.0mm Lead Free |
| 17552LF | Solder in Tube 1.2mm Lead Free |

Desoldering Wick

- Made of clean, oxide-free copper wire
- Tight weave enables quick "on and off" desoldering Concentrated fine copper braiding utilizes less length of
- wick for each desoldering application
- **RoHS** compliant

| Description |
|--------------------------------|
| Desoldering Wick 1.5mm (0.06") |
| Desoldering Wick 2mm (0.08") |
| Desoldering Wick 2.5mm (0.1") |
| |

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

| t ID | Description |
|------|--------------------------------|
| | Portable Soldering Iron 30-70W |
| 01 | T-01 1mm Conical Tip |
|)2 | T-02 2mm Chisel Tip |
| 05 | S-05 Hot Knife Tip |
|)7 | S-07 Heat Blower Tip |

| Solder Core Wire | |
|------------------|--------------------|
| 17801-S30 | S-30 Deflector Tip |
| 1/801-50/ | S-07 Heat Blower |







17801

SOLDER

17551

17542

17555



AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

17524

Soldering Aids 6-Pc Kit