NOTES:

1. MATERIALS AND FINISHES:

BODY - BRASS (ASTM-B16 HO2, C36000), GOLD PLATING CONTACT PIN - BRASS, GOLD PLATING INSULATOR - PTFE PER ASTM D 1710 OR EQUIV. RETAINER RING - BeCu, GOLD PLATING

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM B. FREQUENCY RANGE: DC - 6 GHz


3. MECHANICAL:

A. TEMPERATURE RANGE: -65° C TO +165° C

4. PACKAGING:

A. QUANTITY: SINGLE PACK B. MARKING: BAG TO BE MARKED

"AMPHENOL, APH-SMAP-MMCXP, AND DATE CODE



APH-SMAP-MMCXP

DRAWING NO.

THIRD ANGLE PROJ.

REV

→ □ | A

2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°
NOTICE — These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:

MATERIAL	DRAWN	DATE
	C. McGRATH	4/29/05
	ENGINEER	DATE
	O. BARTHELMES	4/29/05
REFERENCE	APPROVED	DATE
	O. BARTHELMES	9/8/06
		I

H:\DEPT611\ASSY\APH\SMAP-MMCXP

SMA PLUG TO MMCX PLUG **ADAPTER**

REVISIONS

ECO

46261 | CPM/

DATE

9/12/06

APPR

DESCRIPTION

RELEASE TO MFG.

Amphenol Amphenol Corporation
RF/Microwave Operations
Danbury, Conn. U.S.A. 06810

SCALE: 2:1 SHEET ISSUE

DWG SIZE CODE ID 74868 В

DRAWING NO.

APH-SMAP-MMCXP