NOTES:

I. MATERIALS AND FINISHES: BODY - ZAMAK 3, NICKEL PLATING OUTER CONTACT- BRASS, NICKEL PLATING CONTACT - BERYLLIUM COPPER, GOLD PLATING

INSULATOR - PTFE, NATURAL

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM
B. FREQUENCY RANGE: DC 0-4 GHz
C. VSWR(RETURN LOSS): 1.5, MAX.


D. DIELECTRIC WITHSTANDING VOLTAGE: 1000 VRMS, MIN.

3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -65°C TO +165°C

4. CRIMPED FERRULE

HEX CRIMP SIZE .128"



DATE

04-Mar-93

15-Mar-II

ECO

39256

48113

APPR

PB/RAV

SH


REVISIONS

DESCRIPTION


RELEASE TO MFG.

CAP AND BODY WERE CHANGED\RD-DMII030101T1

SCALE 3.000



-Ø3.25



THIRD ANGLE PROJ. 🕀 🖯

## **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm  0.5 - 6mm  6 - 30mm  30 - 120mm  ANGLES ±0.05mm  ±0.1mm  ±0.2mm  ±0.3mm  ±1°	MATERIAL - -	DRAWN T.DENG	DATE 10-Mar-11	TITLE SMB 50 OHM ANGL	Amphenol RF
IOTICE - These drawings, specifications, or other data (I) are, and remain the roperty of Amphenol corp. (2) must be returned upon requiest; and (3) arre onfidential and not to be disclosed to any person other than those to whom they		ENGINEER R. VACCARO	DATE 25 - Jan - 93	PLUG FOR RG-316	
re given by Amphenol Corp. the funishing of these drawings, specifications, or ther data by Amphenol Corp., or to any other person to anyone for any purpose is ot to be regarded by implicatioin or otherwise in any manner licensing, granting	REFERENCE EAR       -963508	APPROVED S.HSIEH	DATE 15-Mar-11	SCALE: 6.0:1.0 SHEET 2 OF 2	DRAWING NO. 903-367P-51A2
ights to permitting such holder or any other sperson to manufacture, use or sell any product, process or design, patented or otherwsie, that may in any way be related to be disclosed by said drawings, specifications, or other data.	615X-1145-100  CONFIGURATION LEVEL: FINISH	CAD FILE	TO MAIL TT	DWG SIZE RE	V TEM NO. 903-367P-51A2 PART NO.903-367P-51A2