


REVISION U







TABLE 1											
P/N	AWG	STRANDS/AWG	INSULATION OD	"A"	"B"	"C"	"G" MAX	"H" MAX	PULL FORCE		
							(VESTIGE LENGTH)	(TAB LENGTH)	(LBS)		
CC03X-2830-01-XX	30	7/38	.02900380	0.0170	0.0300	0.105	0.08	0.02	2		
	28	7/36	.02900360	0.0180	0.0300		0.08	0.02	1.5		

INSULATION STRIP LENGTH

FIG 2 RECOMENDED PROCESSING

UNWINDING DIRECTION






FIG 3
REEL SPECIFICATIONS
REEL SPECIFIC ATIONS

TABLE 2									
SUPPLIED	REEL PART NUMBER	"D"	"E"	Ë.					
-R	R-24-05.00-0.75-P	24.0	5.50	1.125					
-M	MR-13.0-4.00-16	13.0	4.00	0.500					

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND
PROPRIETARY INFORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMPLE,
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WITHOUT
OR PRAFT, TO ANY UNAUTHORIZED PERSON OR REITHOUT
OR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY
OTHER PROJECT IN ANY MANINES WITHOUT THE EXPRESS
WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 6:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:

.050" C.L. DISCRETE WIRE CONTACT

DWG. NO.

CC03X-XXXX-01-XX

SHEET 2 OF 2

BY: BRATCHER 3/8/2005

F:\DWG\MISC\MKTG\CC03X-XXXX-01-XX-MKT.SLDDRW