HellermannTyton

Specification Sheet

Part Number: TAG22T2-100B

HellermannTyton

Thermal Transfer Labels, Self-Laminating, 1.0" x .5" x 1.43", 2 Across, VL, White, 5000/roll

Article Number	596-00006
Туре	TAG22T2
Color	White (WH)
Features & Benefits	• Clear laminate provides excellent abrasion protection and chemical resistance. • Flexible material bends around small gauge wires and tight bends. • Labels are UL recognized and include a strong acrylic adhesive for indoor and outdoor use. • Standard 3" core can be used with HellermannTyton thermal transfer printers or most standard brands.
Quantity Per	roll
Product Description	HellermannTyton self-laminating thermal transfer printer labels are a made of a flexible vinyl film with a white printable surface that easily confirms to wires. These labels include a clear "tail" that laminates printed text when applied. Labels are UL recognized for indoor and outdoor use and feature a strong acrylic adhesive designed to bond to both large and small diameter wires.

Short Description	Thermal Transfer Labels, Self-Laminating, 1.0" x .5" x 1.43", 2 Across, VL, White, 5000/roll
Global Part Name	TAG22T2-100B-WH
Width W (Imperial)	1.0
Width W (Metric)	25.4
Bundle Diameter Min (Imperial)	.20
Bundle Diameter Min (Metric)	5.10
Bundle Diameter Max (Imperial)	0.29
Bundle Diameter Max (Metric)	7.37
Thickness T (Metric)	75
Width of Liner (Metric)	57.1
Width of Liner (imperial)	2.25
Material	Type 100B

 Material Shortcut
 100B

 Adhesive
 Acrylic

Adhesive Operating Temperature	-51°F to +200°F (-46°C to +93°C)
Operating Temperature (Metric)	-40°F to +194°F (-40°C to +90°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Certification/Specification WEB	UL-Recognized
UL Recognized (US)	Yes
Package Quantity(Imperial)	5000
Package Quantity (Metric)	5000
Customs Number	3919102055
Labels per Column	1
Labels per Row	2
Weight (Metric)	1.176
Weight (Imperial)	2.57

© 2018 HellermannTyton. All rights reserved.